

























































AVID PRO TOOLS 10

Introducing Pro Tools 10, the next generation of the best sounding and most powerful audio production software for recording, composing, editing, and mixing music and sound for picture. New features include



32-bit floating-point format, enhanced disk cache, real-time fades, Avid Channel Strip plug-in, multiple audio formats in a session, Clip Gain, low-latency mode with direct monitoring and SoundCloud direct export.

U	•	
ITEM	DESCRIPTION	PRICE
PROTOOLS-10-BOXED	Audio production software Mac/PC	699.00
PROTOOLS-10-UPGRADE	Pro Tools 9 to Pro Tools 10 upgrade	299.00
PROTOOLS-10-UG-LE	Pro Tools LE to Pro Tools 10 crossgrade	399.00
PROTOOLS-10-UG-MP	Pro Tools MP to Pro Tools 10 crossgrade .	399.00
PTEX-XGRADE	Pro Tools Express crossgrade PT10	399.00



AVID PRO TOOLS EXPRESS

This version of Pro Tools® allows you to compose, record, edit and mix using many of the same industry-standard tools (including Automatic Delay Compensation) used by top producers, engineers, and artists worldwide. Record using up to 16 stereo audio tracks (4 simultaneously) and create professional-quality mixes using over 25 high-quality effects. Three virtual instruments, up to 16 MIDI tracks and



Sibelius notation tools allow you to quickly and easily compose music. Session file compatibility with all Pro Tools® systems allows you to easily work on your projects at other studios. Windows 7 (32- or 64-bit) and Max OS X (10.6.8 or 10.7) compatible, Pro Tools Express is included with the interfaces listed below.

> THIS PRODUCT IS AVAILABLE AS A BUNDLE WITH THE MBOX OR MBOXMINI ASK YOUR SALES PRO FOR DETAILS!



AVID MBOX MINI

- 2x2 simultaneous I/O
- 24-bit/48 kHz
- 1 XLR mic/line combo w/ phantom
- 2-in/2-out 1/4" TRS
- 1 x 1/4" headphone output
- Dedicated monitor volume knob
- · Mix control for low-latency monitoring
- USB-powered
- · Core Audio, ASIO, WDM, MME, and multi-client drivers
- Includes Pro Tools Express music recording and creation software

includes 110 10015 Expi	coo made recording and creation dortware	
ITEM	DESCRIPTION	PRICE
MBOX-MINI+PTEX	.Mbox Mini + Pro Tools Express	299.00

AVID MBOX

- 4x4 simultaneous I/O
- 24-bit/96 kHz
- 2 XLR mic/line combo w/ phantom
- 2-in/2-out 1/4" TRS
- 1/4" headphone output w/volume control
- Stereo S/PDIF digital I/O, MIDI I/O
- · Monitor control section w/ Mono and Dim controls
- Soft-clip limiter, built-in guitar tuner
- Flexible cue mixing & reverb effects w/ the onboard DSP
- Core Audio, ASIO, WDM, MME, and multi-client drivers
- Includes Pro Tools Express music recording and creation software

ITEM	DESCRIPTION	PRICE
MBOX+PTEX	Mbox + Pro Tools Express	799.00

AVID MBOX PRO

- 8x8 simultaneous I/O
- 4 mic inputs w/ phantom
- · High pass filters
- 4-in/6-out 1/4" TRS
- · Stereo S/PDIF digital I/O
- MIDI I/O
- Word clock I/O
- 2 discrete 1/4" headphone outputs
- 2 unbalanced Alt line inputs (2 RCA, 1 mini 1/8")
- Mono, Mute, Dim, Alt Source, and Speaker A/B/C switching monitor controls

ITEM	DESCRIPTION	PRICE
MBOX-PRO	8-in/8-out FW production system (Mac/PC) .	799.00
MBOX-PRO+PROTOOLS	Same as above w/ Pro Tools	999.00


PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!











Guitarist Nick Wheeler relies on Avid to help create The All-American Rejects' multi-platinum sound. From the popular Mbox® series to the Fast Track® C600, only Avid® I/O interfaces come with Pro Tools®—the industry-standard software for music and audio production.



Check out Avid's full I/O lineup, and plug into the interface that best tells your story.























































ALESIS 102 EXPRESS

- 2x2 24-bit audio recording interface
- 2 XLR w/ high-quality A/D and D/A converters, discrete-design preamps, 48V phantom power
- 2-in 1/4" TRS/TS switchable line/Hi-Z inputs
- 2-out 1/4" TRS w/ main output level control
- 1/4" stereo headphone output with independent level control
- · Inputs for microphones, line-level sources, and instruments including guitars
- Tricolor stereo level meter and lighted status indicators for visual monitoring
- USB bus powered
- WDM, ASIO, CoreAudio support
- Includes Steinberg Cubase LE software

ITEM	DESCRIPTION	PRICE
IO2-EXPRESS	2in/2out USB audio interface	99.00



- 4x4 16-bit (2x2 @ 24-bit) audio recording interface
- 4 XLR w/ high-quality A/D and D/A converters, discrete-design preamps, 48V phantom power
- 4-in 1/4" TRS/TS switchable line/Hi-Z inputs
- 4-out 1/4" TRS w/ main output level control
- 1/4" stereo headphone output with independent level control
- Inputs for microphones, line-level sources, and instruments including guitars • Tricolor stereo level meter and lighted status indicators for visual monitoring
- MIDI I/O
- WDM, ASIO, CoreAudio support
- Includes Steinberg Cubase LE software

ITEM	DESCRIPTION	PRICE
0/4	4in/4out USB audio interface	149.00



APOGEE DUET 2

- Redesigned mic preamps and converters
- 24-bit/192kHz recording
- 2 analog line/mic combo inputs
- 4 x 1/4" TRS balanced outputs
- Independent speaker and headphone outs

DESCRIPTION

- Full color OLED display
- · Multi-function controller knob
- Configurable touch pads
- Maestro 2 software
- Soft Limit

ITEM

DUET-2









- 1/4" MIDI expression pedal input
- Line-level, 1/4" stereo output for headphones, powered monitors or amp
- 44.1/48kHz, 24bit
- 5 Stompbox buttons, color coded to match software effects
- 5 Transport control buttons, dynamically lit when engaged
- 2 "Previous/Next" preset selection buttons
- Control built into Apple's GarageBand, Logic Pro 9, and MainStage 2 software

ITEM	DESCRIPTION	PRICE
GIO	USB guitar interface / controller (Mac)	395.00



APOGEE DIGITAL ENSEMBLE

- 8 channels 24-bit 192K AD/DA conversion
- 4 digitally controlled 75db microphone preamps

... 2-in / 4-out USB audio interface (Mac).....

- 2 fully balanced inserts on mic pre channels
- 4 Hi-Z instrument inputs
- 2 headphone outputs
- 2, 6 or 8-channel monitor outputs

1in/2out USB mic/interface (Mac)...

Follow us!

- Optical ADAT, coaxial S/PDIF, and word clock I/O
- "UV22HR" for superior dither
- · Dual-stage "Intelliclock"
- Complete integration & control w/ Logic Pro
- CoreAudio support
- · Maestro software control and routing

ITEM	DESCRIPTION	PRICI
FNSFMRLF	18-in /18-out FireWire audio interface (Mac)	1995 00





Studio-quality guitar input



Studio quality microphone for iPad, iPhone and Mac.

PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS:





ONE-MIC-MOUNT... ONE-CARRY-CASE

1-in / 2-out USB mic/interface (Mac)

66666















































ECHO AUDIOFIRE PRE8

- •S/MUX support
- •16x16 24-bit/96kHz I/O
- •MIDI, word clock and SPDIF I/O
- ·Near zero latency hardware monitoring
- •8 auto-sensing universal inputs with BrilliantTM mic preamps
- •2 premium inputs w/ phase reversal, mic impedance, pad, Hi-Pass
- •ASIO 2.0, WDM, GSIF 2.0 (32-bit Win only), CoreAudio, CoreMIDI
- •Windows 7/Vista/XP (32-/64-bit) and Mac OS X compatible (10.4 or later)

DESCRIPTION PRICE AUDIOFIRE8-PRE 16-in/16-out FireWire interface 699 00

ECHO AUDIOFIRE 12

- 12x12 24-bit/192kHz analog I/O
- 12-in/12-out balanced 1/4"
- · MIDI and word clock I/O
- 2 FireWire ports with 15' cable
- Near zero latency hardware monitoring
- Includes Tracktion (version 2.2)
- ASIO2, GSIF 2.0, CoreAudio/MIDI support
- Windows XP, Vista and Mac OSX compatible

DESCRIPTION AUDIOFIRE12... 12-in/12-out FireWire interface.

exicon

LEXICON I-0 82

- 8x2 analog/digital I/O
- Up to 24-bit/96kHz
- 8 XLR/TRS combo mic/line inputs
- dbx® high-voltage, ultra-low noise microphone preamps
- 1 side panel 1/4" instrument input
- 2 analog 1/4" TRS outputs
- MIDI I/O, USB 2.0 connectivity
- Includes Cubase LE, ToonTrack EZdrummer lite
- 2 headphone output with dedicated volume adjustment
- Pantheon[™] II VST/AU reverb plug-in with 6 legendary Lexicon reverbs

ITFM DESCRIPTION

8-in/2-out USB 2.0 audio interface (Mac/PC) 1_0_82

PRICE 499 95



MACKIE ONYX BLACKJACK

- 2x2 24-bit/96kHz analog I/O
- 2 XLR/TRS mic/line combo Onyx mic pre with 48V phantom
- High-end Cirrus Logic® AD/DA converters w/ 114dB dynamic range (A-weighted)
- 2-out balanced/unbalanced TRS 1/4" with independent level control
- Switchable line/Hi-Z inputs (built in DI)
- 1/4" stereo headphone output with independent level control
- · Zero-latency recording
- USB bus-powered
- Sleek, ergonomic "Built-Like-A-Tank" desktop design
- Includes Tracktion 3TM Music Production Software
- WDM, ASIO, CoreAudio support

ITEM DESCRIPTION PRICE BLACKJACK. 2-in/2-out USB audio interface.....



ALVA NANOFACE

- •USB 2.0 bus-powered audio interfac
- •12 channels; up to 96kHz
- Audio: 6 inputs/6 outputs
- •MIDI: 1 input/2 outputs
- · Digital optical SPDIF I/O
- •2 mic preamps w/phantom power
- •1 Hi-Z instrument input
- •11-segment LED meters
- ·Designed to partner with modern DAW's

DESCRIPTION PRICE NANOFACE. 6-in/6-out USB audio interface



METRIC HALO ULN-8

- 8x8 24-bit/192kHz anlog/digital I/O
- 8 Channels of archival grade 192k A/D D/A converters
- 8 Channels of remote controllable ultra-low-noise clickless preamps
- Fully clickless remote controlled monitor outputs for flexible monitoring applications from stereo to 7.1 surround
- DB-25 I/O w/8-channels of mic-in, line-in, line-out, balanced sends, and AES/EBU



- Word clock, SMPTE and MIDI I/O
- · Comprehensive, high resolution 15 segment precision front panel metering
- 2x 1/4" DI suitable for instrument or turntable inputs
- Integrated mixing and deep instantiable DSP processing (Full +DSP License)

ITFM DESCRIPTION PRICE 8in/8out FireWire Interface. ULN8 . CALL

PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!

M-F: 9:00-5:30 Central

























































AVID PRO TOOLS SE

Pro Tools® SE music recording and creation software delivers many of the same powerful features that studio professionals use to create Grammy® award-winning albums, Emmy® award-winning television shows, and Academy Award®-winning films. This easy-to-use



software lets you create pro-sounding music with up to 24 audio and virtual instrument tracks. It also includes over 100 virtual instruments to build out your mixes, plus EQ, reverb, and other effects to make your music sound professionally produced. There's a wide array of music creation templates and a huge (3 GB!) audio loop library so you can play along with drum grooves or add your own percussion, bass, and instrument lines. Pro Tools SE is included with the interfaces listed below.



M-AUDIO MOBILE PRE

- 2x2 simultaneous I/O
- 24-bit/48kHz
- 2 balanced XLR/TS combo inputs
- 2-in/2-out balanced 1/4"
- 1/4" headphone output
- USB powered
- Front/rear input select button
- 48V phantom power switch
- 4 top-panel knobs for adjusting I/O levels & headphone volume
- ASIO2, MME, CoreAudio/MIDI support

• Includes Pro Tools SE music recording and creation software

DESCRIPTION MOBILE-PRE-22-in/2-out USB interface (Mac/PC)....



M-AUDIO FAST TRACK C400

- 4x6 simultaneous I/O @ 24-bit/96kHz
- 2 XLR/TRS mic/line combo w/phantom and 1/4" inserts
- 2 front-panel 1/4" instrument inputs
- 4-out balanced 1/4"
- 1 1/4" headphones out w/independent control
- Coaxial S/PDIF and MIDI I/O
- USB powered

PRICE

- Built-in reverb and effects w/MX Core DSP
- Speaker select monitor management system
- ASIO2, WDM, MME, Core Audio support
- · Includes Pro Tools SE music recording and creation software

DESCRIPTION PRICE FAST-TRACK-C4004-in/6-out USB interface (Mac/PC)......



M-AUDIO FAST TRACK C600

- 6x8 simultaneous I/O @ 24-bit/96kHz
- 4 XLR/TRS mic/line combo w/phantom
- 2 front-panel 1/4" instrument inputs
- 6-out balanced 1/4"

FAST-TRACK-C600.

- 2 1/4" headphones out w/ independent control
- Coaxial S/PDIF and MIDI I/O
- USB powered or included PSU
- Built-in reverb and effects w/ MX Core DSP
- Speaker select monitor management system
- 5 re-assignable transport controls
- ASIO2, WDM, MME, Core Audio support
- Includes Pro Tools SE music recording and creation software DESCRIPTION

.6-in/8-out USB interface (Mac/PC)....

M-AUDIO FAST TRACK USB

High-speed 2-in/2-out USB audio interface (Mac/PC)

Follow us!



PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!



propellerhead

PROPELLERHEAD REASON

Reason is an integrated software music recording and production studio with audio recording, million-dollar mixing and EQs, and everything you could dream of for writing, recording, remixing and producing great-sounding tracks. Features the Reason mixing console's sound and signal processing which was faithfully modeled after the legendary SSL 9000k analog mixing desk, and the Reason virtual rack filled to the brim with reverbs, compressors, vocoders, synths, distortion units, and









PROPELLERHEAD REASON ESSENTIALS

Reason Essentials packs in all the recording, editing, effects, instruments, mixing and mastering tools you need to sound great in a streamlined package. Comes with a great selection of instruments and effects in a virtual rack that builds itself, or can be tweaked to your heart's content-drum machine, loop player, sampler, synths, reverb, delay, distortion and more. For guitar players, the built-in virtual guitar POD® and bass POD® from Line 6 bring a wide range of top quality guitar amps, cabinets and effects. The intuitive audio and MIDI sequencer makes recording and arranging your music a breeze.

ITEM	DESCRIPTION	PRICE
REASON-ESSENTIALS	Music production software (Mac/PC)	99.99

PROPELLERHEAD BALANCE WITH REASON ESSENTIALS

The complete solution for music making. Balance audio interface with Reason Essentials music software provides an integrated music-recording environment to create anything you want. Includes a Reason 6 upgrade for Reason/Record owners. Includes:

- •2-in 2-out audio interface
- •Clip Safe you'll never lose a good take to distortion again
- Big Meter lets you tune your guitar and set the levels from across the room
- Use it with Reason, other pro audio apps, or even iTunesTM
- Hardware input source selection buttons
- Large main output and headphone level controls
- ·Powerful headphone amplifier
- •USB 2.0 powered and built-in Ignition Key

TEM	DESCRIPTION	- 1
REASON-BALANCE	2-in/2-out USB audio interface/software (Mac/PC)	3





UNIVERSAL AUDIO APOLLO

- 18 x 24 Fire-Wire ready audio interface (Mac and PC)
- •Realtime UAD Processing for low-latency (sub-2ms) tracking and mixing w/ UAD Powered Plug-ins
- · Front-panel controls for all commonly used features
- Full recall of interface and UAD plug-in settings (VST/RTAS/AU)
- •8 analog inputs: (4) digitally controlled analog mic preamps, (8) balanced line inputs, (2) front-panel JFET DIs
- 14 analog outputs: (8) balanced line outs, (2) digitally-controlled analog monitor outs, (2) dedicated stereo headphone outs
- •Dual FireWire 800 portsw
- •10 channels of digital I/O: (8) ADAT, (2) S/PDIF, wordclock I/O
- •Thunderbolt I/O Option Card (Future item, TBA)
- •Available in DUO Core and QUAD Core processor models
- Includes "Analog Classics" plug-ins: LA-2A Classic Audio Leveler, 1176LN Limiting Amplifier, and Pultec EQP-1A Program Equalizer

ITEM	DESCRIPTION	PRICE
APOLLO-DUO	. 18-in/24-out FW audio interface w/ UAD-2 Duo DSP	1999.00
APOLLO-QUAD	. 18-in/24-out FW audio interface w/ UAD-2 Quad DSP	2499.00







































































































Lets you record, edit, arrange, mix, process and master audio and MIDI tracks side by side for songwriting, studio production, live performance, film and television soundtracks, audio post production, surround mixing and other professional audio production tasks. Features up to 24-bit/192kHz audio recording, track comping, direct audio CD burning, MasterWorks Leveler and ProVerb convolution plug-ins, Amp emulator, speaker/guitar pedal modeling, and inline EQ & multi-band dynamics in each mixing channel. Create/print lead sheets with lyrics and transposable chord symbols. Works with OMF/AAF, SDII, ACID, REX files and supports RTAS, VST, Rewire & Pro Tools HD/Accel. New features include a new video playback engine, Punch Guard™ confidence recording, 14 new user interface themes, and 15 new included plug-ins. Digital Performer 8 operates in 32-bit or 64-bit mode on Mac OS X and Windows 7

Digital I criorinci o opera	tes in 62 bit of 01 bit mode on mac ob hand	Williady	vo 1.
ITEM	DESCRIPTION		PRICE
DIGITAL-PERFORMER8.0	.DAW software (Mac/PC)	COMING	S00N!
DP-8.0-COMP-UPGRADE	.Competitor crossgrade to DP8	COMING	S00N!



MOTU 896MK3

- 28x32 24bit/48kHz analog/digital I/O
- Or 20x24 @ 24bit/96kHz, 10x10 @24bit/192kHz
- 8 XLR/TRS mic/line combo w/phantom
- 8 XLR outputs, stereo XLR main outputs
- 2x 1/4" headphone out (1mirrors main out)
- 2x ADAT optical w/ SMUX I/O and Toslink
- AES/EBU, coaxial S/PDIF and wordclock I/O • CueMix FX flexible 28-input/16-bus mixer with DSP effects
- Standalone mix operation
- Front panel metering, clip protection limiter
- Includes AudioDesk workstation software
- WDM/ASIO/Core Audio and Core MIDI support

ITEM	DESCRIPTION	PRICE
896MK3-HYBRID	28-in/32-out FireWire/USB audio interface	995.00

MOTU TRACK16 AUDIO INTERFACE

- •16-in/14-out 24-bit/192kHz analog/digital I/O
- Easy-to-use, powerful, & robust
- •Mic, line, DI, MIDI I/O via breakout cable
- Universal connectivity Mac/PC, FireWire/USB2.0
- Easily expandable via optical port
- •DSP-driven mixing and effects, including reverb, EQ and compression
- •Includes instrument tuner, SMPTE sync, analysis tools and oscilloscope

NEW!

•7-segment LED meters, customized backlighting on buttons

ITEM	DESCRIPTION	PRICE
TRACK-16	.16-in/14-out FireWire/USB2.0 audio interface (Mac/PC)	.549.00



MOTU 828MK3

- 28x30 @ 24-bit/48kHz I/O
- Up to 24-bit/192kHz
- 2 XLR/TRS (mic/guitar) combo w/ phantom
- XLR right/left main outputs
- 8-in/8-out unbalanced 1/4" • 2 x 1/4" headphones
- 2 x FireWire type B ports, USB2.0
- 1/4" SMPTE I/O • 2 x optical ADAT (SMUX), coaxial S/PDIF, word clock & MIDI I/O
- 1/4" footswitch, 2x 1/4" sends
- CueMix FX digital mixer with built-in effects
- Includes AudioDesk workstation software (Mac only)
- ASIO2, WDM, Wave, GSIF 2, CoreAudio/ MIDI support

ITEM	DESCRIPTION	PRICE
828MK3-HYBRID	28-in/30-out FireWire/USB2.0 interface (Mac/PC)	749.00



- S/PDIF I/O
- (2) 1/4" headphones out
- · Hybrid FireWire/USB 2.0 connectivity
- Front panel LEDs and metering
- · Includes AudioDesk workstation for Mac
- CueMix FX cross-platform mixing software · 4 XLR/TRS combo inputs w/phantom, 20 dB pad
- · Supports ASIO, WDM, Wave, Core Audio and Core MIDI

ITFM DESCRIPTION PRICE . 6-in/8-out USB/Firewire audio interface (Mac/PC).. 449.00



MOTU 8PRE

16-in/12-out FireWire audio interface (Mac/PC)


Follow us!







ULTRALITE-MK3-HYBRID......549.00 PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!

















































RME FIREFACE UFX

- 30x30 analog/digital I/O
- Up to 24-bit/192kHz
- 8-in/6-out balance TRS
- 4 mic/instrument preamp, digitally controlled
- 2 balanced XLR outputs
- 1 AES/EBU I/O
- 2 ADAT I/O (or 1 ADAT I/O plus 1 S/PDIF I/O optical)
- Word Clock I/O, 2 MIDI I/O
- FireWire 400 and USB 2.0
- Integrated digital recorder for I/O directly to flash/hard drive via front USB port
- TotalMix FX DSP based mixing/routing

	8 8	
ITEM	DESCRIPTION	PRICE
EIDEEVUE HEA	30 in/30 out FiroWiro/USB interface	2200 00



RME BABYFACE

- 22-channel 192kHz multi-format mobile USB audio interface
- 10-input /12-output channels
- 2x analog I/O with mic pres, line and mic level, balanced or unbalanced
- 1 channel alternatively usable as Hi-Z input
- 1x Phones Out (separate DA conversion)
- 1x MIDI I/O
- 1x ADAT I/O (w/ SMUX support) or 1x S/PDIF I/O optical
- Supports bus-powered operation
- TotalMix FX (high-end DSP mixer with effects)
- Mac and Windows compatible

ITEM	DESCRIPTION	PRICE
BABYFACE	10-in/12-out USB audio interface	749.00
BABYFACE-SE	As above, Limited Edition in silver	749.00

RME FIREFACE UCX

- 18-in/18-out analog/digital interface
- Up to 24-bit/192kHz
- 8x Analog I/O
- 2x Mic/Line Preamps, digitally controlled
- 2x Line /Instrument inputs, digitally controlled
- 1x SPDIF, ADAT I/O (or 1 x SPDIF I/O optical)
- 1x Word Clock, 2x MIDI I/O (via breakout cable)
- 1x FireWire 400, USB 2.0 (USB 3 compatible)
- TotalMix FX (with UFX effects engine)
- RME Basic remote control included, optional advanced remote available

ITEM	DESCRIPTION	PRICE
FIREFACE-UCX	18x18 USB/FireWire audio interface w/remote	1599.00
REMOTE-ARC	Advanced remote control	229.00



RME HDSPE MADIFACE

128-channel ExpressCard/34 audio interface

HDSPE-MADIFACE..... 128-channel, 192kHz MADI PCI ExpressCard interface for laptops 1799.00



RME HAMMERFALL DSP AES-32

16x16 24-bit/192kHz PCI card, AES/EBU

HDSP-AES-32	16-in/16-out PCI interface	999.00
HDSPE-AES	16-in/16-out PCIe interface.	1249.00



RME HDSPE 9632

32-channel 24-bit/96kHz PCI Card

HDSPE-AIO	.PCI Express	HDSPe	9632	audio	interface	849.	00
TCO-HDSP	.Word-clock	module.				529.	00



M-F: 9:00-5:30 Central























































PRESONUS STUDIO ONETM

Comes in 3 versions- Artist, Producer, and Professional. The Studio One Artist delivers all the core audio and MIDI recording and editing features, plus a wealth of 32-bit effects plug-ins and virtual instruments. Unlike other "entry-level" DAWs, it imposes no limits on track count and plug-in instantiations, or editing features. The Studio One Producer

includes everything in Studio One Artist and adds support for ReWire and AU/ VST plug-ins, MP3 import and export, and additional 3rd-party content. Studio One Professional includes everything in the Producer model and adds the Project page (an integrated mastering solution), fully licensed Melodyne Essential pitch correction, SoundCloudTM support, Macro Toolbar, Red Book CD burning, video playback and sync, and 5 more Native Effects plug-ins (Groove Delay, Multiband Dynamics, OpenAIR, Pipeline, and IR Maker.)

open my repenne, and my manery					
ITEM	DESCRIPTION	PRICE			
S1-ARTIST-2.0	32-bit DAW software for Mac/PC	99.00			
S1-PRODUCER	32-bit DAW software for Mac/PC	199.00			
S1-PROFESSIONAL	64-bit DAW software for Mac/PC	399.00			



Presonus:



PRESONUS AUDIOBOX 22VSL

- 24-bit/96k 2x2 USB 2.0 recording interface
- 2 Class 'A' XMAX[™] mic preamps w/ phantom
- 2 instrument and balanced line inputs
- 2 balanced main (L/R) outputs
- 1 headphones out, MIDI I/O USB-powered
- Includes Studio One™ Artist software
- VSL 4x2 DSP mixer w/ StudioLive 16.0.2 Fat Channel dynamics processing/EQ for each analog input & its DAW return, 2 stereo effects buses with reverb & delay

	·	
ITEM	DESCRIPTION	PRICE
AUDIOBOX-22VSL	2-in/2-out USB2.0 interface (Mac/PC)	199.95

PRESONUS AUDIOBOX 44VSL

- 24-bit/96k 4x4 USB 2.0 recording interface
- 4 Class 'A' XMAX™ mic preamps w/ phantom
- 2 instrument and balanced line inputs
- 2 balanced main (L/R) outputs
- 4 balanced TRS outputs
- 1 headphones out, MIDI I/O
- External 12VDC power supply included
- Includes Studio One[™] Artist software
- VSL 8x4 DSP mixer w/ StudioLive 16.0.2 Fat Channel dynamics processing/EQ for each analog input and its DAW return and 2 stereo effects buses with reverb & delay

and 2 stereo effects buses with reverb & delay			
ITEM	DESCRIPTION	PRICE	
AUDIOBOX-44VSL	4-in/4out USB2.0 interface (Mac/PC).	299.95	



PRESONUS AUDIOBOX 1818VSL

- Next-generation 18x18 USB 2.0 audio and MIDI interface
- Virtual StudioLive[™] Fat Channel software creates a 26x18 mixer for monitoring with near-zero-latency reverb, delay, high-pass filter, dynamics processing, and EO for each analog input and playback stream
- 2 combo mic/instrument inputs and 6 combo mic/line inputs with high-headroom, Class 'A' XMAX™ mic preamplifiers

- 8-channel ADAT I/O, and S/PDIF I/O
- 8 balanced line outputs
- 24-bit resolution; 44.1, 48, 88.2, 96 kHz sampling rate
- Studio One Artist[™] DAW software included

DESCRIPTION PRICE AUDIOBOX-1818VSL 18-in/18-out USB 2.0 audio interface 499.95

PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!









PreSonus AudioBox 1818VSL. The thoroughbred USB 2.0 interface that's more than just a one-trick pony.



Because the 1818VSL's Virtual Mixer has a whole StudioLive Fat Channel of EQ, compression, and limiting plus reverb and delay effacts, you can use it live on stage as a one rack space StudioLive mixer with iPad# control!

and delay. Now you can monitor with effects... free from audible latency.

16.0.2 digital mixer and put its Fat Channel processors into the AudioBox 1818VSL interface and then added reverb

The interface you can

On your laptop screen, the 1818VSL's 26 x 8 Virtual Mixer looks a lot like VSL* on a StudioLive digital mixer. And it is. Complete with scene save / recall, and 50 signal processing pre-sets.

Now, with AB1818VSL Remote for iPad®, a free download from the Apps Store, you can mix live while adding both effects and signal processing to your PA and

Compass Sales Pro today.

Wi PreSonus

















































CAKEWALK BY ROLAND SONAR X1

SONAR X1 has everything needed to deliver the polished, "radio-ready" recordings that are expected in today's music industry - all in one box. Included are all of SONAR's cutting edge music creation tools plus an unparalleled collection of world-class instruments and effects. PC (Windows XP/Vista/7) only.





SONAR X1 ESSENTIAL

- 64 Audio Tracks
- · Unlimited MIDI Tracks
- Streamlined User Interface
- · Matrix View
- Step Sequencer 2.0
- · Essential Instruments
- Essential Effects
- IK Multimedia Amplitube X-Gear
- Video Import/Export

ITEM	PRICE
SONAR-X1-ESSENTIAL	99.00



SONAR X1 STUDIO

- Unlimited Audio / MIDI Tracks
- AudioSnap 2.0
- Roland V-Vocal
- · Surround Mixing
- T and S Series Effects
- Rapture LE Synth
- RGC Synth Suite
- IK Amplitube X-Gear (32-bit)

• Everything in SONAR X1 Essential

ITEM	PRICE
SONAR-X1-STUDIO	199.00



SONAR X1 PRODUCER

- Unlimited Audio / MIDI Tracks
- ProChannel
- · Dimension Pro Synthesizer
- · Mastering Effects
- · Channel Strip Effects
- TruePianos Amber
- Session Drummer 3
- Guitar Rig 4 LE
- Everything in Studio & Essential

ITEM	PRICE
SONAR-X1-PRODUCER	399.00



ROLAND DUO-CAPTURE

- 2x2 analog audio I/O
- 24-bit/48kHz
- Small, convenient interface for portability
- \bullet 1/4" mic/guitar input with Hi-Z switch for connecting a guitar directly
- 1/8" stereo input, 1/8" and 1/4" dual headphone outs
- Dedicated controls for input and output volume
- · Low latency ASIO driver; direct monitor function
- USB bus-powered
- Cakewalk SONAR X1 LE included (for Windows)

ITEM	DESCRIPTION	PRICE
UA-11	. 2-in/2-out USB audio interface	79.99



ROLAND QUAD-CAPTURE

- 4x4 simultaneous I/O
- 24-bit/192kHz
- 2 combo XLR/TRS w/VS Preamps
- · Phantom power, ground lift, and Hi-Z switches
- 2 TRS outputs, 1/4" headphone out
- · Coaxial, and MIDI I/O
- · Graphical control panel software control of the VS Preamps
- One-click AUTO-SENS function sets optimal input levels for the preamps
- •USB 2.0 bus-powered
- Compact with durable aluminum body and Direct Box functionality
- Bundled with Cakewalk SONAR X1 LE

ITEM	DESCRIPTION	PRICE
UA-55	. 4-in/4-out USB2.0 audio interface (Mac/PC)	269.00





ROLAND TRI-CAPTURE

- 3x2 simultaneous I/O • 24-bit/96kHz
- · USB bus-powered
- 1/4" headphones out
- 2 x 1/4" TRS balanced outputs
- Guitar input − 1/4" jack · Mic input - XLR type, balanced, phantom power
- Stereo AUX input (RCA phono type) w/ dedicated volume control
- Cakewalk SONAR X1 LE included (for Windows)

ITEM	DESCRIPTION	PRICE
UA-33	. 3-in/2-out USB audio interface (Mac/PC)	129.00

ROLAND OCTA-CAPTURE

- 8x8 simultaneous I/O
- 24-bit/192kHz
- 8 XLR/TRS mic/line combo
- Eight premium mic preamps built in (VS PREAMP)
- 8-out 1/4" TRS balanced outputs
- · Coaxial S/PDIF, MIDI I/O
- 1/4" headphones out
- ASIO 2.0/WDM, Core Audio/MIDI compatibility
- Bundled with Cakewalk Production Plus Pack (for Windows) ITEM DESCRIPTION PRICE

699.00







steinberg

STEINBERG CUBASE 6

Cubase 6 is your go-to audio workstation for recording, editing, mixing and producing music of all types. Advanced multitrack editing tools, a new take-comping system and the revolutionary VST Note Expression 2 form the centerpiece of Cubase 6 novelties. Its refined new interface offers faster access and more intuitive control than ever before. An outstanding range of effect processors and superior instruments like VST Amp Rack and LoopMash 2 fuel your creative imagination. Cubase 6 is about making your music in the easiest, most effective way.

ITEM	DESCRIPTION	PRICE
CUBASE-6	DAW software (Mac/PC)	499.99
CUBASE-ARTIST-6	DAW software (Mac/PC)	249.99
CUBASE-ELEMENTS-6	DAW software (Mac/ PC)	99.99


€ CUBASE®











STEINBERG NUENDO 5

Steinberg's solution for demanding professionals working in audio, live and post production. Nuendo 5 allows for an ADR-like workflow (including EDL support), comes with excellent surround features, and provides a unique automatable busdestination routing system to create different mix versions in one go. A completely new video engine guarantees stable playback in SD and HD, and the ability to work with multi-mono files means industry openness. An array of additional enhancements and 64-bit technologies boost performance and handle even the largest projects.

DESCRIPTION NUENDO-5. .DAW software (Mac/PC)

STEINBERG WAVELAB 7

WaveLab 7 is a comprehensive suite for professional mastering, audio editing and restoration that is available for Mac and PC. It now features a new workflow concept, 30 VST3 plug-ins, high-end restoration tools, a state-of-the-art burning engine, Mac support and much more. Available in 2 editions tailored to the individual needs of mastering engineers, musicians and podcasters alike.

ITEM DESCRIPTION PRICE 384kHz/64-bit audio quality editing/mastering suite.. WAVFI AR-7 499 99 WAVELAB-ELEMENTS-7 ... 96kHz/32-bit audio quality editing/mastering software.....



STEINBERG UR28M

- 24-bit/96 kHz USB 2.0 audio interface
- · 4-in/6-out plus stereo input for reference source
- S/PDIF coaxial I/O
- D-Pre Class 'A' discrete mic preamps supporting +48V
- · Latency-free DSP-powered monitoring
- REV-X reverb and 4 channel strips
- Digitally controlled monitor level control with DIM, Mono, and Mute
- 2 separate headphone buses with individual outputs
- · Cubase AI 6 music production software included
- Cross-platform compatibility for Mac OS X and Windows

ITEM DESCRIPTION PRICE 4-in/6-out USB 2.0 audio interface

STEINBERG CI2+ **PRODUCTION KIT**

- 24-bit/48kHz audio interface
- · Latency-free hardware monitoring
- · Dedicated transport buttons
- · Ultra-precision AI controller knob
- USB-powered for mobile recordings
- 2 XLR/TRS mic/line combo inputs w/ phantom
- · Hi-Z input for electric guitar and bass
- 2 balanced line outputs and 1 phones output
- · Hands-free recording with optional footswitch
- Includes proven Cubase AI 6 and WaveLab Elements 7 software
- Cross-platform 32-/64-bit for Mac/PC

DESCRIPTION

PRICE C12+PRODUCTION . 2-in/2-out USB audio interface/software ..



STEINBERG MR816 CSX & MR816 X

- 16x16 simultaneous I/O
- 24-bit/96kHz
- · No latency, DSP-powered FX
- Full Cubase Control Room support
- Direct access from Cubase
- 8-XLR/TRS mic/line combo "D-Pre" preamps w/phantom
- Digital ADAT and S/PDIF I/O

- Input routing to Cubase channels from hardware with the push of a button
- Up to 8 simultaneous onboard DSP-powered Channel Strips with compressor, EO & REV-X reverb
- Includes Cubase AL5 software

morado odbaoc	The o continuation	
ITEM	DESCRIPTION	PRICE
MR816-CSX	. 16-in/16-out FireWire interface w/built-in DSP FX (Mac/PC)	999.99
MR816-X	. 16-in/16-out FireWire interface (Mac/PC)	699.99



M-F: 9:00-5:30 Central



































































































Focusrite[®]



FOCUSRITE SAFFIRE PRO 40

- 18x18 @ 24-bit/48kHz analog/digital I/O or 14x14 @ 24-bit/96kHz
- 8 award-winning Focusrite pre-amps
- 8 XLR/TRS inputs, 8 TRS outputs
- 2x 6-pin FireWire ports
- Optical ADAT, coaxial S/PDIF and MIDI I/O
- High quality A-D/D-A conversion and JetPLLTM jitter elimination technology
- Includes all-new Focusrite compression, reverb, gating and EQ VST/AU plug-ins
- Zero-latency DSP 18x16 mixer/router
- 2 separate headphone buses for independent monitor mixes

ITEM	DESCRIPTION	PRICE
SAFFIRE-PRO-40	. 18-in/18-out FireWire interface	499.99



FOCUSRITE SCARLETT 18i6

- 18x6 analog/digital I/O
- Up to 24bit/192kHz
- 2 XLR/TRS Combo Focusrite preamps
- · 6-in/2-out balanced TRS
- 1/4" headphone out
- ADAT optical input, SPDIF I/O coaxial
- MIDI I/O, USB 2.0 connectivity
- Scarlett MixControl ultra-low-latency DSP mixer/router
- Scarlett VST/AU/RTAS Plug-in Suite compression, reverb, gating and EQ
- Xcite+ Software Bundle loops/samples, soft-synth and Ableton Live Lite 8

ITEM	DESCRIPTION	PRICE
SCARLETT-1816	18-in/6-out USB 2.0 interface	299.99



FOCUSRITE SAFFIRE 6 USB

2-in/4-out 24-bit/96kHz USB audio interface

SAFFIRE-6-USB ... 199.99



FOCUSRITE SAFFIRE PRO 24

16x8 24-bit/96kHz FireWire audio interface

SAFFIRE-PRO-24	299.99
SAFFIRE-PRO-24-DSPDSP version	399.99



FOCUSRITE SCARLETT 212

2-in/2-out USB interface w/ Focusrite mic preamps

TASCAM



TASCAM US-2000

- 16x4 24-bit/96kHz analog/digital I/O
- 8 XLR microphone inputs with phantom power
- 6-in/4-out balanced 1/4"
- 2-in 1/4" instrument inputs (ch 7 & 8 on front panel "combi" jacks)
- Stereo S/PDIF digital I/O
- 100-LED meterbridge (5 segments for each input & output)
- · Zero-latency direct monitoring with mono/stereo switch for each pair of inputs
- 1/4" balanced stereo monitor output w/volume control
- 1/4" stereo high-powered headphone output
- Mac and Windows compatible

TASCAM US-1800

• Steinberg Cubase LE4 48-track recording software included

ITEM	DESCRIPTION	PRIC
US-2000	16-in/4-out USB 2.0 audio interface	CAL



TASCAM US-600

- USB 2.0 audio interfaces
- US-600 offers 6x4 I/O w/ 4 preamps
- 4 XLR/TRS mic/line combo w/ phantom
- · 2-out unbalanced RCA
- 1/4" stereo headphone out
- S/PDIF, MIDI I/O
- · USB bus-powered or external PSU
- Instrument-level switch on the first input
- Includes Cubase LE5 recording software

DESCRIPTION ITEM PRICE US600 6-in/4-out USB audio interface





2-in/2-out USB audio interface

US125M.



TASCAM US-122MKII & US-144MKII

Bus powered 24-bit/96kHz USB 2.0 audio interfaces

US122-MKII......2x2 USB 2.0 interface w/MIDI.... US144-MKII......2x2 USB 2.0 interface w/MIDI, SPDIF......CALL

PLEASE ALWAYS CONSULT MANUFACTURER'S WEBSITE FOR MOST CURRENT SYSTEM REQUIREMENTS!



16-in/4-out USB 2.0 audio/MIDI interface