

## PS2408

- ▶ 8 outlets
- ▶ Convenient and safe covered, on/off switch
- ▶ 15-amp circuit breaker
- ▶ 15 ft. cord
- ▶ 24" length



## DESCRIPTION

Tripp Lite's PS2408 power strip offers 15 amp, 120v multi-outlet AC power distribution in a convenient 24 inch mountable housing. Offers horizontal or vertical power distribution in rackmount, raceway and workbench applications. Includes 8 NEMA 5-15R output receptacles with 2.48 inch center-to-center spacing, 15 ft AC line cord and lighted power switch with locking transparent cover to prevent accidental shutoff. Sturdy all-metal extruded aluminum housing stands up to demanding network, laboratory or factory environments.

INPUT / OUTPUT: Input: NEMA 5-15P / Output: 8 NEMA 5-15R

ELECTRICAL: 120V AC, 50/60Hz, 15A

FORMAT: 24 in. corded, mountable power strip

## KEY BUYING POINTS

- Sturdy all-metal 24 inch corded strip format with 2.48 inch center-to-center outlet spacing
- Included mounting hardware supports vertical or horizontal mounting in rack enclosures, raceways and more
- Includes 8 NEMA 5-15R output receptacles
- Ideal for horizontal or vertical raceway style power distribution in office, workbench, industrial, networking and telecom applications
- Lighted power switch with locking transparent cover prevents accidental shutoff
- 15 amp electrical capacity with circuit breaker
- 120V AC, 50/60Hz electrical compatibility
- Lifetime warranty

## TYPICAL APPLICATIONS

- Offers vertical or horizontal multi-outlet power distribution in rack enclosures, raceways, desktops and more.

## PACKAGE INCLUDES

- PS2408
- Mounting hardware
- Instruction manual

## COMPLETE SPECIFICATIONS

### SYSTEM OVERVIEW

<b>System overview:</b>	2 ft. vertical power strip, includes mounting clips
<b>Voltage compatibility:</b>	120VAC

**Frequency compatibility:** 50/60 Hz

## OUTPUT

**Output volt amp capacity (amps):** 15A

**Output watt capacity (watts):** 1800

**Outlet quantity / type:** 8 Nema 5-15R

**Outlet spacing:** 2.48 in.

## INPUT

**Input connection type:** Nema 5-15P

**Input cord length (ft.):** 15

**Input cord length (m):** 4.572

**Input plug features:** Black

**Input cord gauge, type:** 14/3 SJT

**Recommended electrical service:** 15A 120V

## LEDS ALARMS & SWITCHES

**Switches:** Lighted 2 position switch controls power to all outlets

**Locking switch cover:** Transparent on/off switch cover prevents accidental turn-off

## PHYSICAL

**Unit weight (lbs):** 3.2

**Unit weight (kg):** 1.4528

**Unit Dimensions (HWD/in):** 1.5 x 1.5 x 24 in.

**Unit Dimensions (HWD/cm):** 3.8 x 3.8 x 61

**Material of construction:** Aluminum

**Form factors supported:** Supports vertical or horizontal mounting in rack enclosures, raceways and a variety of other applications

**Mounting accessories included:** Includes mounting clips

**Housing color:** Silver

**Receptacle color:** Black

**AC line cord color:** Black

## CERTIFICATIONS

**UL1363 (Power Tap):** UL1363

**cUL / CSA (Canada):** cUL

## WARRANTY

**Product warranty:** Lifetime

*The policy of Tripp Lite is one of continuous improvement.  
Specifications are subject to change without notice.  
Therefore, your product may vary slightly from what is currently listed.*



**Tripp Lite World Headquarters**  
1111 W. 35th Street  
Chicago, IL 60609 USA

**Customer Support**  
(773) 869-1234

© 2007 Tripp Lite. All Rights Reserved.