



0.625" flange for strength



Available as a single panel or in multi-pack cartons.

### features . . . . .

- **Description:** Blank aluminum panel for 19" E.I.A. racks is ideal for applications where the light weight and environmental attributes of alluminum are specified, and where the additional strength of a flange is needed.
- **Construction:** 16-gauge aluminum
- **Finish:** Black wrinkle powder epoxy finish
- **Flange:** 0.625" flange for strength
- **Origin:** Made in the U.S.A.
- **Compliance:** E.I.A. compliant
- **Packaging:** Available as a single panel or in a multi-pack contractor's carton.

### a&e specifications . . . . .

The rack shall include \_\_\_\_\_ (quantity) blank panels, Lowell model # \_\_\_\_\_, which shall be 16-gauge aluminum with black wrinkle powder epoxy finish. Each panel shall measure 19"W x \_\_\_\_ rack units and feature a 0.625" flange. Panels shall be made in the U.S.A.

### AP series summary

Model No.	Panel Space	Overall Height	Overall Width	Overall Depth (flange)	Material	Finish	Carton Pack
<b>Single Panels</b>							
AP-1	1 U	1.75 [44]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
AP-2	2 U	3.50 [89]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
AP-3	3 U	5.25 [133]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
AP-4	4 U	7.00 [178]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
AP-5	5 U	8.75 [222]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
AP-6	6 U	10.50 [267]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	1
<b>Multi-pack Cartons</b>							
AP-1CC	1 U	1.75 [44]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	12
AP-2CC	2 U	3.50 [89]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	12
AP-3CC	3 U	5.25 [133]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	6
AP-4CC	4 U	7.00 [178]	19.00 [483]	0.625 [16]	16-ga. aluminum	Black wrinkle	6

Dimension = inches [mm]  
1U = 1.75"



2U model pictured

