



The Eliminator Lighting Mega Wash 24, a wash light powerhouse in the world of dynamic illumination. This versatile fixture is designed for various applications, from electrifying club atmospheres to elevating mobile DJ setups and creating captivating event, bar, lounge, and fun center environments with vibrant washes color and strobe effects.

Powered by Twenty-four 10-Watt, 6-IN-1 Hex LEDs, the Mega Wash 24 delivers vibrant color wash effects with a beam angle of 25-degrees. Each LED boasts RGBWA+UV capabilities, offering a broad spectrum of colors and a UV component for an added dimension. The fixture's six zones, with 4 LEDs per zone, can individually change color in the 40 Channel DMX Mode, providing endless creative possibilities.

Control is at your fingertips with 4 DMX Channel modes and 4 Operational modes, including DMX control, Sound Active, Auto Mode, or Primary/Secondary Mode. The unit is equipped with a safety loop, dual fan cooling, and electronic dimming from 0-100%, ensuring reliable and customizable performance. The Mega Wash 24's light weight and compact design makes it easy to integrate into any lighting setup for portable or permanent applications.

Included in the package are a wireless IR remote, IEC Power Cord, and a mounting bracket, providing everything you need for a seamless lighting experience.

Elevate your lighting game with the Mega Wash 24 - the ultimate solution for captivating visual experiences.



LIGHT SOURCE:

- 24 x 10-Watt, 6-IN-1 Hex (RGBWA+UV) LEDs
- Beam Angle: 25-degrees

FEATURES:

- Vibrant Color Wash Effects
- Six Zones (4 LEDs per Zone) can each change color in 40 Channel DMX Mode
- Safety Loop
- Dual Fan Cooling
- Two Hanging Bracket locations: top or rear of fixture
- Electronic Dimming: 0-100%
- Variable Strobe Effect

CONTROL:

- 4-button with OLED display menu for easy navigation
- 4 DMX Channel modes: 3, 6, 10, and 40 channel modes
- 4 Operational modes: DMX Control, Sound Active, Auto Mode or Primary/Secondary Mode

CONNECTIONS:

- 3-pin DMX In/Out Sockets
- IEC AC input and 3-Prong Edison output on the back of the fixture to daisy chain the power
- Two IR Remote Sensors (one in front and one on the rear)
- With Wired Digital Communication Network

ELECTRICAL:

- Multi-voltage operation: AC 100V-240V 50/60Hz
- Power Draw: 250W Max

DIMENSIONS/WEIGHT:

- Dimensions (LxWxH): 12.2" x 8.9" x 10.7"/ 310mm x 226mm x 273mm
- Weight: 7.9 lbs./ 3.6 kg.

WHAT'S INCLUDED:

- Includes wireless IR remote
- IEC Power Cord
- Mounting Bracket

IR Remote Features:

- On & Off Buttons
- Red, Green & Blue Color Buttons
- 9 Color Macro Buttons
- Auto, Sound, Flash & Speed with Plus & Minus buttons





REAR PANEL WITH HANGING BRACKET OPTION 1



REAR PANEL WITH HANGING BRACKET OPTION 2



