

# SUPERSTAR 1400 LED

MODEL 1285

A GROUNDBREAKING, POWERFUL, LONG THROW LED FOLLOWSPOT



## FEATURES

1400 WATT LED ENGINE

AUTO SWITCHING INTERNAL  
ELECTRONIC POWER SUPPLY

VARIABLE FOCAL OPTICS

LOCAL & REMOTE DMX DIMMING

INCLUDES 4 LEGGED FOLDING BASE  
WITH CASTERS AND LEVELING JACKS

EASY REACH CONTROLS INCLUDING  
INTERNAL 6 COLOR BOOMERANG

GOBO SLOT

HORIZONTAL & VERTICAL SHUTTERS

FROST FILTER

## AN LED FOLLOWSPOT MADE FOR USE IN PROFESSIONAL THEATRE AND ARENAS

Once again Lycian answers the ever advancing needs of the entertainment industry with the Superstar 1400 LED followspot. The model 1285 offers a unique combination of electrical efficiency and unmatched versatility in a single package. It's impressive spot to zoom ratio means unmatched output regardless of trombone position. A plethora of controls and DMX dimming makes this a standout.



# SUPERSTAR 1400 LED

MODEL 1285

## Architect & Engineers Specifications

The luminaire is a 1400 watt LED followspot. All controls are top located and in close proximity for ease of use. These include iris, dimming (also available through DMX), horizontal & vertical shutters and frost. The fixture has a 6 color internally mounted self-cancelling color boomerang. A 1400 watt LED is housed in the rear of the unit. Optical quality lenses complete the optical systems. The electronic power supply is integrated into the followspot head. A 12' Power-Con® True cord is included. The followspot ships with a 4 legged folding base and includes locking casters and leveling jacks. Units are cooled by quiet low volume fans. The housing is constructed of extruded aluminum and cold rolled steel powder coated in black and brown. The Lycian Superstar 1400 LED Model 1285 is to be specified. Only fixtures manufactured in the USA are acceptable.

## SUPERSTAR 1400 LED PHOTOMETRICS

### Beam Angle 3.9-11°

Distance	Feet	100	200	250	300
	Meters	30.5	61	76.2	91.5
Spot Focus					
Spot Footcandles		650	163	104	72
Spot Lux		6990	1720	1080	775
Spot Diameter	Feet	7'	14'	17'5"	28'
Spot Diameter	Meters	2.1	4.2	5.3	8.5
Spot Focus (iris down)		8"	16"	20"	24"
Flood Focus					
Footcandles		370	92	54	
Lux		3980	990	581	
Diameter	Feet	18'7"	37'3"	46"7"	
Diameter	Meters	5.7	11.4	14.2	

### SUPERSTAR 1400 DIMENSIONS

### ELECTRICAL COMPATIBILITY

### ORDER CODE

Head Length	72"	90-250V, 50 & 60 Hz	<b>1285</b>
Max. Width inc. Controls	19-1/2"		Ships with head, yoke,
Head Depth	18-1/4"	Draw: 7 Amps at 208V	base, Power-Con True
Head Weight	137 lbs.	Draw: 13.5 Amps at 110V	power cord

Optional Base #1321

Specifications subject to change without notice

[www.lycian.com](http://www.lycian.com)

PO Box 214

Sugar Loaf

NY

USA

Tel. +1 (845) 469-2285



