

CABLES

Premade Microphone Cables

XLR TO 1/4"	
	LENGTH
Pro-Co	
01-MIC-XQ	1'
03-MIC-XQ	3'
05-MIC-XQ	5'
10-MIC-XQ	10'
15-MIC-XQ	15'
20-MIC-XQ	20'
25-MIC-XQ	25'

XLR TO MINI PLUG	
	LENGTH
Pro-Co	
01-MIC-X-MINI	1'
03-MIC-X-MINI	3'
05-MIC-X-MINI	5'
10-MIC-X-MINI	10'
15-MIC-X-MINI	15'
20-MIC-X-MINI	20'
25-MIC-X-MINI	25'

Hosa	
XVM101	3C-MINI Dual Mono 1'
XVM105	3C-MINI Dual Mono 5'
XVM105M	2C-Mono 5'
XVM115	3C Mini Dual Mono 15'

XLR TO XLR	
	LENGTH
Mogami/Marshall	
GOLD-STUDIO-6	Quad 6'
GOLD-STUDIO-15	Quad 15'
GOLD-STUDIO-25	Quad 25'
GOLD-STUDIO-50	Quad 50'

Pro-Co	
01-MIC-XX	1'
02-MIC-XX	2'
03-MIC-XX	3'
05-MIC-XX	5'
06-MIC-XX	6'
10-MIC	Economy 10'
10-MIC-XX	10'
10-MIC-XX-SQ	Starquad 10'
15-MIC	Economy 15'
15-MIC-XX	15'
15-MIC-XX-SQ	Starquad 15'
20-MIC	Economy 20'
20-MIC-XX	20'
20-MIC-XX-SQ	Starquad 20'
25-MIC	Economy 25'
25-MIC-XX	25'
25-MIC-XX-SQ	Starquad 25'
30-MIC	Economy 30'
30-MIC-XX	30'
30-MIC-XX-SQ	Starquad 30'
50-MIC-XX	50'
75-MIC-XX	75'
75-MIC-XX-SQ	Starquad 75'
150-MIC-XX	150'
150-MIC-XX-SQ	Starquad 150'
50-MIC-XX-SQ	Starquad 50'
100-MIC-XX	100'
100-MIC-XX-SQ	Starquad 100'
200-MIC-XX	200'
200-MIC-XX-SQ	Starquad 200'

Planet Waves	
PW-M-25	XLR-M to XLR-F mic cable 25'

XLR TO XLR, CON'T	
	LENGTH
Whirlwind	
MIC03	Economy series 3'
MIC10	Economy series 10'
MIC25	Economy series 25'
MIC50	Economy series 50'
MK403	3'
MK406	6'
MK410	10'
MK415	15'
MK420	20'
MK425	25'
MK430	30'
MK450	50'
MK4100	100'
MKQ10	Canare Starquad, XLR-F to XLRN 10'
MKQ15	Canare Starquad, XLR-F to XLRN 15'
MKQ25	Canare Starquad, XLR-F to XLRN 25'
MKQ50	Canare Starquad, XLR-F to XLRN 50'
MKQ100	Canare Starquad, XLR-F to XLRN 100'

Zaolla	
M3-ZAOLLA	Silver 3'
M5-ZAOLLA	Silver 5'
M10-ZAOLLA	Silver 10'
M15-ZAOLLA	Silver 15'
M20-ZAOLLA	Silver 20'
M25-ZAOLLA	Silver 25'
M30-ZAOLLA	Silver 30'
M40-ZAOLLA	Silver 40'
M50-ZAOLLA	Silver 50'
M70-ZAOLLA	Silver 70'

XX=XLR-XLR (rubber) XX-SQ=StarQuad cable
XQ=XLR - 1/4" phone X-MINI=XLR-MINIPHONE

XLR TO XLR COILED MIC CABLES

TecNec	
CC201	15' to 6'
CC202	24' to 15'

XLR TO XLR AES/EBU DIGITAL CABLES

	LENGTH
Canare	
DECO05F	5'
DECO15F	15'
DECO25F	25'
DECO50F	50'
Hosa	
AES003	3'
AES005	5'
AES010	10'
AES015	15'
AES020	20'
Zaolla	

CALL FOR INFO AND PRICING

CableGator

An oblong nylon strap with eight Velcro attachments designed to hold and carry cables of all sizes. It carries, stacks and stores up to eight coils of cables. Great for DJs, electricians, cable TV installers and anyone who uses a lot of cables, and wishes to avoid tangles and snarls. It includes a heavy duty D-ring so you can hang the CableGator from the wall.

CABLEGATOR31.90

CALL FOR PRICE

Premade Studio Cables



XLR ANALOG STUDIO CABLES

	LENGTH	DESCRIPTION
Hosa		
PXF102	2'	XLR-F to 1/4" TS
PXF103	3'	XLR-F to 1/4" TS
PXM102	2'	XLR-M to 1/4" TS
PXM103	3'	XLR-M to 1/4" TS
STX102M	2'	XLR-M to 1/4" TRS
STX102F	2'	XLR-F to 1/4" TRS
STX103F	3'	XLR-F to 1/4" TRS
STX103M	3'	XLR-M to 1/4" TRS
XLR102	2'	XLR-M to XLR-F
XRF102	2'	XLR-F to RCA-M
XRF103	3'	XLR-F to RCA-M
XRM102	2'	XLR-M to RCA-M
XRM103	3'	XLR-M to RCA-M
PXF105	5'	XLR-F to 1/4" Phone
PXF110	10'	XLR-F to 1/4" Phone
PXF115	15'	XLR-F to 1/4" Phone
PXM105	5'	XLR-M to 1/4" Phone
PXM110	10'	XLR-M to 1/4" Phone
PXM115	15'	XLR-M to 1/4" Phone
STX105F	5'	XLR-F to 1/4" TRS
STX105M	5'	XLR-M to 1/4" TRS
STX110F	10'	XLR-F to 1/4" TRS
STX110M	10'	XLR-M to 1/4" TRS
STX115F	15'	XLR-F to stereo 1/4" TRS
STX115M	15'	XLR-M to stereo 1/4" TRS
XLR103	3'	XLR-M to XLR-F
XLR105	5'	XLR-M to XLR-F
XRF105	5'	XLR-F to RCA
XRF110	10'	XLR-F to RCA
XRF115	15'	XLR-F to RCA
XRM105	5'	XLR-M to RCA
XRM110	10'	XLR-M to RCA
XRM115	15'	XLR-M to RCA

Whirlwind	LENGTH	DESCRIPTION
STF03	3'	XLR M to 1/4" TRS
STF06	6'	XLR M to 1/4" TRS
STF10	10'	XLR M to 1/4" TRS
STF15	15'	XLR M to 1/4" TRS
STF25	25'	XLR M to 1/4" TRS
STM03	3'	XLR M to 1/4" TRS
STM06	6'	XLR M to 1/4" TRS
STM10	10'	XLR M to 1/4" TRS
STM15	15'	XLR M to 1/4" TRS

Zaolla CALL FOR INFO AND PRICING



DIGITAL AUDIO S/PDIF CABLE RCA TO RCA

	LENGTH	PER PACK	RCA	PHONE
Hosa				
DRA501	3.3'	1	MM	
DRA502	6.6'	1	MM	
DRA503	9.9'	1	MM	
DRA504	12.2'	1	MM	
Mogami/Marshall				
RR01	1'	1	MM	
RR03	3'	1	MM	
RR06	6'	1	MM	
RR10	10'	1	MM	
RR15	15'	1	MM	
RR20	20'	1	MM	

Whirlwind				
SPDIF1.5	1.5'		MM	
SPDIF03	3'		MM	
SPDIF05	5'		MM	
SPDIF10	10'		MM	
SPDIF15	15'		MM	
SPDIF20	20'		MM	

Zaolla Silver Conductor CALL FOR INFO AND PRICING



RCA TO RCA SINGLE CABLE

LENGTH	PER PACK	RCA PHONO
Hosa Molded		
CRA103	3'	1 MM
CRA105	5'	1 MM
CRA110	10'	1 MM
CRA115	15'	1 MM
CRA120	20'	1 MM
CRA830	1'	8 MM
CRA845	1.5'	8 MM

LENGTH	PER PACK	RCA PHONO
Mogami/Marshall		
RR01	1'	1 MM
RR03	3'	1 MM
RR06	6'	1 MM
RR10	10'	1 MM
RR15	15'	1 MM
RR20	20'	1 MM

LENGTH	PER PACK	RCA PHONO
Philmore		
CA19	1.5'	1 MM
CA20	3'	1 MM
CA204	3'	4 MM
CA22	5'	1 MM
CA24	10'	1 MM
CA25	3'	1 MF
CA28	6'	1 MF
CA92	3'	1 MM
CA94	6'	1 MM
CA96	12'	1 MM

LENGTH	PER PACK	RCA PHONO
Zaolla		
ICR1-ZAOLLA	1'	1 MM
ICR3-ZAOLLA	3'	1 MM
ICR5-ZAOLLA	5'	1 MM
ICR7-ZAOLLA	7'	1 MM
ICR10-ZAOLLA	10'	1 MM
ICR15-ZAOLLA	15'	1 MM
ICR20-ZAOLLA	20'	1 MM
ICR25-ZAOLLA	25'	1 MM
ICR30-ZAOLLA	30'	1 MM
ICR50-ZAOLLA	50'	1 MM



RCA TO RCA DUAL CABLE

LENGTH	PER PACK	RCA PHONO
Hosa Molded		
CRA201G	3.3'	1 MM
CRA202G	6.6'	1 MM
CRA203G	9.9'	1 MM
CRA204G	13.2'	1 MM
CRA201	3.3'	1 MM
CRA202	6.6'	1 MM
CRA203	9.9'	1 MM
CRA204	13.2'	1 MM
CRA206	20'	1 MM

LENGTH	PER PACK	RCA PHONO
Hosa Gold-Plated Metal Plug		
CRA403G	3'	1 MM
CRA405G	5'	1 MM
CRA410G	10'	1 MM

LENGTH	PER PACK	RCA PHONO
Philmore		
CA32	18"	1 MM
CA34	3'	1 MM

Zaolla Silver Conductor CALL FOR INFO AND PRICING

.....

WWW.FULLDISCOUNT.COM



RCA TO 1/4" PHONE SINGLE CABLE

LENGTH	PER PACK	RCA PHONO	1/4" PHONE TS 2 COND.
Hosa Molded			
CPR103	3.3'	1 M	M
CPR105	5'	1 M	M
CPR110	10'		
CPR115	15'		

LENGTH	PER PACK	RCA PHONO	1/4" PHONE TS 2 COND.
Hosa Molded w/ right angle Phone			
RPG103	3'	M	M
RPG105	5'	M	M

LENGTH	PER PACK	RCA PHONO	1/4" PHONE TS 2 COND.
Mogami/Marshall			
PRO1	1'	1 M	M
PRO3	3'	1 M	M
PRO6	6'	1 M	M
PR10	10'	1 M	M
PR15	15'	1 M	M
PR20	20'	1 M	M

LENGTH	PER PACK	RCA PHONO	1/4" PHONE TS 2 COND.
Philmore			
CA30	6'	1 M	M

Zaolla Silver Conductor CALL FOR INFO AND PRICING



RCA TO 1/4" PHONE, DUAL CABLES

LENGTH	PER PACK	RCA PHONO	1/4" PHONE TS 2 COND.
Hosa			
CPR201	3.3'	1 M	M
CPR202	6.6'	1 M	M
CPR203	9.9'	1 M	M
CPR204	13.2'	1 M	M
CPR206	20'	1 M	M

Zaolla Silver Conductor CALL FOR INFO AND PRICING



1/4" PHONE TO 1/4" PHONE, UNBALANCED SINGLE CABLES

LENGTH	PER PACK	1/4" PHONE TS 2 COND.
Hosa Molded		
CPP101	1'	1 MM
CPP830	1'	8 MM
CPP845	1.5'	8 MM
CPP103	3'	1 MM
CPP890	3'	8 MM
CPP105	5'	1 MM
CPP110	10'	1 MM
CPP115	15'	1 MM

LENGTH	PER PACK	1/4" PHONE TS 2 COND.
Mogami/Marshall		
PP01	1'	1 MM
PP03	3'	1 MM
PP10	10'	1 MM
PP15	15'	1 MM
PP20	20'	1 MM

LENGTH	PER PACK	1/4" PHONE TS 2 COND.
Zaolla Silver Conductor		
ICP1-ZAOLLA	1'	1 MM
ICP3-ZAOLLA	3'	1 MM
ICP5-ZAOLLA	5'	1 MM
ICP7-ZAOLLA	7'	1 MM
ICP10-ZAOLLA	10'	1 MM
ICP15-ZAOLLA	15'	1 MM
ICP20-ZAOLLA	20'	1 MM
ICP25-ZAOLLA	25'	1 MM
ICP30-ZAOLLA	30'	1 MM
ICP50-ZAOLLA	50'	1 MM



1/4" PHONE TO 1/4" PHONE, UNBALANCED DUAL CABLES

LENGTH	PER PACK	RCA PHONO
Hosa		
CPP201	3.3'	1 MM
CPP202	6.6'	1 MM
CPP203	9.9'	1 MM
CPP204	13.2'	1 MM

Zaolla Silver Conductor CALL FOR INFO AND PRICING



1/4" TRS TO 1/4" TRS BALANCED SINGLE CABLE

LENGTH	PER PACK	TRS 3COND.
Hosa Molded		
CSS103	3'	1 MM
CSS830	1'	8 MM
Hosa Molded		
CSS845	1.5'	8 MM
CSS890	3'	8 MM
CSS105	5'	1 MM
CSS110	10'	1 MM
CSS115	15'	1 MM
CSS125	25'	1 MM

Hosa Gold-Plated Metal Plugs

LENGTH	PER PACK	TRS 3COND.
CSS115MG		
SS01	1'	1 MM
SS03	3'	1 MM
SS06	6'	1 MM
SS15	15'	1 MM
SS20	20'	1 MM

LENGTH	PER PACK	TRS 3COND.
Mogami/Marshall		
ST01	1'	1 MM
ST02	2'	1 MM
ST03	3'	1 MM
ST05	5'	1 MM
ST10	10'	1 MM
ST15	15'	1 MM
ST25	25'	1 MM
ST50	50'	1 MM

LENGTH	PER PACK	TRS 3COND.
Zaolla Silver Conductor		
ICP1-ZAOLLA	1'	1 MM
ICP3-ZAOLLA	3'	1 MM
ICP5-ZAOLLA	5'	1 MM
ICP7-ZAOLLA	7'	1 MM
ICP10-ZAOLLA	10'	1 MM
ICP15-ZAOLLA	15'	1 MM
ICP20-ZAOLLA	20'	1 MM
ICP25-ZAOLLA	25'	1 MM
ICP30-ZAOLLA	30'	1 MM
ICP50-ZAOLLA	50'	1 MM

1/4" TRS TO 1/4" TRS BALANCED DUAL CABLES

LENGTH	PER PACK	RCA PHONO
Hosa Molded		
CSS201BAD TAG	3.3'	1 MM
CSS202	6.6'	1 MM
CSS203	9.9'	1 MM
CSS204	13.2'	1 MM

Zaolla Silver Conductor CALL FOR INFO AND PRICING

WE'VE GOT YOUR PARTS

.....

We have parts for every manufacturer's product that we sell. Give us a call & let us know what you are looking for.

1-800-828-0509 extension 1358



CABLES

GUITAR/INSTRUMENT CABLE 1/4" TO 1/4"

LENGTH	DESCRIPTION
Planet Waves	
PW-G-10 1/4" TS, 10'	
PW-G-15 1/4" TS, 15'	
PW-G-20 1/4" TS, 20'	
PW-GRA-20 1/4" TS, 20' with 90 degree plug	
PW-CGT-10 1/4" TS, 10', solid single conductor	
PW-CGT-20 1/4" TS, 20', solid single conductor	
PW-AG-15 1/4" TS, with circuit break plug, 15'	
PW-AG-20 1/4" TS, with circuit break plug, 20'	
Pro-Co	
EG1 1'	Heavy Duty
EG2 2'	Heavy Duty
EG3 3'	Heavy Duty
EG6 6'	Heavy Duty
EG20 20'	Heavy Duty
EG25 25'	Heavy Duty
EG50 50'	Heavy Duty
EG5 5'	Heavy Duty
SEG3 3'	
SEG5 5'	
SEG10 10'	
SEG25 25'	
SEG186 18'	
EG10 10'	Heavy Duty
EG15 15'	Heavy Duty
EG30 30'	Heavy Duty
EG186 18'	Heavy Duty

Whirlwind

LENGTH	DESCRIPTION
L03 3'	Leader Standard
L10 10'	Leader Standard
L25 25'	Leader Standard
L50 50'	Leader Standard
L10R 10'	Leader Standard-rt
L18R 18'	Leader Standard-rt
ZC01 1'	Z-Series
ZC03 3'	Z-Series
ZC06 6'	Z-Series
ZC10 10'	Z-Series
ZC20 20'	Z-Series

Zaolla Silver Conductor CALL FOR INFO AND PRICING

RETURN/SEND CABLES

This cable is used for insertion point of a mixer to connect signal processors, such as reverb amp, graphic equalizer, delay unit, etc.



Stereo 1/4"-Phone (tip, ring & sleeve)—two RCA



Stereo 1/4"-Phone—two Mono 1/4" Phone

Length	Per Pack	RCA	1/4" TS 2	1/4" TRS	XLR3
Hosa					
SRC203 9.9'	1			M	FM
SRC204 13.2'	1			M	FM
STP201 3.3'	1		MM	M	
STP202 6.6'	1		MM	M	
STP203 9.9'	1		MM	M	
STP204 13.2'	1		MM	M	
TRS201 3.3'	1	MM		M	
TRS202 6.6'	1	MM		M	
TRS203 9.9'	1	MM		M	
TRS204 13.2'	1	MM		M	

Whirlwind

STWY05 5'	1/4" TRS M to 2 X 1/4" TS M
STWY10 10'	1/4" TRS M to 2 X 1/4" TS M
STWY15 15'	1/4" TRS M to 2 X 1/4" TS M
STWY25 25'	1/4" TRS M to 2 X 1/4" TS M

1/4" PHONE Y-CABLES

DESCRIPTION	
Hosa	
CYM105 5' 1/4" to 2-1/4"	
CYR301 3.3' 1/4" to 2-RCA	
YPP106 6' 1/4"TS-F to 2-1/4"TS-M	
YPP111 6' 1/4"TS-F to 2-1/4"TS-F	
YPP117 6' 1/4"TRS-M to 2-1/4"TS-F	
YPP118 6' 1/4"TRS-M to 2-1/4"TRS-F	
YPP136 6' 1/4"TRS-F to 2-1/4"TS-M	
YPP308 6' 1/4"TRS-F to 2-1/4"TRS-M	
YPR102 6' 1/4"TRS-M to 2-RCA-F	
YPR103 6' 1/4"TS-M to 2-RCA-F	
YPR124 6' 1/4"TS-M to 2-RCA-M	
YPR131 6' 1/4"TS-F to 2-RCA-M	
YRA115 6' 1/4"TS-F to 2-RAC-F	

Whirlwind

YM2F 1/4" TS M to 2 X 1/4" F
YM2M 1/4" TS F to 2 X 1/4" M
YS2F 1/4" TRS M to 2 X 1/4" TRS F
YS2M 1/4" TRS F to 2 X 1/4" TRS M

MINI-1/8" TRS PHONE CABLES TO DIFFERENT PLUGS

LENGTH	DESCRIPTION
Hosa	
CMM103 3'	to Mini-TRS
CMM105 5'	to Mini-TRS
CMM110 10'	to MINI-TRS
CMP103 3'	to M-1/4"TS
CMP105 5'	to M-1/4"TS
CMP110 10'	to M-1/4"TS
CMS103 3'	to M-1/4"TRS
CMS105 5'	to M-1/4"TRS
CMS110 10'	to M-1/4"TRS
XVM101 1'	to XLR-F
XVM105 5'	to XLR-F
XVM115 15'	to XLR-F



MINI-TRS STEREO PLUG Y-CABLES

Description	
Hosa	
CFR210 10' mini-3c to 2-RCA-M	
CMP153 3' mini-3c to 2-1/4"TS-M	
CMP159 10' mini-3c to 2-1/4"TS-M	
CMR203 3', 1/8" mini-stereo to 2-MRCA	
CMR206 6', 1/8" mini-stereo to 2-MRCA	
CMR210 10', 1/8" mini-stereo to 2-MRCA	
CYX402 6', mini-3c to 2-XLR-M	
CYX403 9', mini-3c to 2-XLR-M	
YMM261 6' mini-3c to 2-mini-2c-F	
YMM232 6' 3.5mm-M to 2x3.5mm-F	
YMP137 6' mini-3c to 2-1/4"TS-F	
YMP233 6' mini-3c to 2-1/4"TRS-F	
YMR197 6' mini-3c-F to 2-RCA-M	
YRA154 6', 1/8" mini-stereo to 2-FRCA	
YXF247 1', mini-3c to 2-XLR-F	
YXF305 8' mini-3c to 2-XLR-F	

Philmore

CA31	Mini-stereo to 2-MRCA, 12 length
CA33	Mini-stereo to 2-MRCA, 6 length

HOSA PATCH CABLES

DESCRIPTION
TIT-124 TT to TT 24"
TTQ103 TT to 1/4"TRS 3'
TTQ105 TT to 1/4"TRS 5'
TTQ803 TT to 1/4"TRS 9.9' 8ch snake
TTQ804 TT to 1/4"TRS 13.2' 8ch snake
TTS830 TT to TT 1', 8-pack
TTS845 TT to TT 1.5', 8-pack
TTS890 TT to TT 3', 8-pack
TTX103F TT to XLR-F 3'
TTX103M TT to XLR-M 3'

STUDIO SNAKES



LINE LEVEL SNAKE CABLES

Haven't you had enough of twisting and shouting your way through the jumble of multitrack cable? You don't have to live with a rat's nest of cable. Multitrack Snakes from Hosa are color-coded for fast ID. Eight color-coded leads are bundled in a single tough rubber tube so your wiring is neat, easy to trace and easy to change.

LENGTH	DESCRIPTION
Hosa	
CPP802 6.6'	1/4" Phone to 1/4" Phone x 8
CPP803 9.9'	1/4" Phone to 1/4" Phone x 8
CPP804 13.2'	1/4" Phone to 1/4" Phone x 8
CPP805 16.5'	1/4" Phone to 1/4" Phone x 8
CPP807 23.1'	1/4" Phone to 1/4" Phone x 8
CRA802 6.6'	RCA to RCA x 8
CRA803 9.9'	RCA to RCA x 8
CRA804 13.2'	RCA to RCA x 8
CRA807 23.1'	RCA to RCA x 8
CPR802 6.6'	1/4" Phone to RCA x 8
CPR803 9.9'	1/4" Phone to RCA x 8
CPR804 13.2'	1/4" Phone to RCA x 8
CPR805 16.5'	1/4" Phone to RCA x 8
CPR807 23.1'	1/4" Phone to RCA x 8
CSS802 6.6'	1/4"TRS to 1/4"TRS x 8
CSS803 9.9'	1/4"TRS to 1/4"TRS x 8
CSS804 13.2'	1/4"TRS to 1/4"TRS x 8
CSS805 16.5'	1/4"TRS to 1/4"TRS x 8
CSS807 23.1'	1/4"TRS to 1/4"TRS x 8
STX802F 6.6'	1/4"TRS to XLR-F x 8
STX802M 6.6'	1/4"TRS to XLR-M x 8
STX803F 9.9'	1/4"TRS to XLR-F x 8
STX803M 9.9'	1/4"TRS to XLR-M x 8
STX804F 13.2'	1/4"TRS to XLR-F x 8
STX804M 13.2'	1/4"TRS to XLR-M x 8
STX805F 16.5'	1/4"TRS to XLR-F x 8
STX805M 16.5'	1/4"TRS to XLR-M x 8
STX807F 23.1'	1/4"TRS to XLR-F x 8
STX807M 23.1'	1/4"TRS to XLR-M x 8
XLR807 23.1'	XLR (M) t-XLR (F) x 8
XLR803 9.9'	XLR (M)-XLR (F) x 8
XLR805 16.5'	XLR (M)-XLR (F) x 8
XRM805 16.5'	XLR (M)-RCA* x 8
XRF805 16.5'	XLR (F)-RCA* x 8
PXM805 16.5'	XLR (F)-1/4" Phone, Unbal. Cable x 8

INSERT SNAKES

This cable is used for insertion point of an audio mixer to connect some of the signal processors such as reverb amp, graphic equalizer, delay unit, etc. This snake cable consists of 4 pcs of our RETURN/SEND Cable TRS-202 in one bundle.

LENGTH	DESCRIPTION
Hosa	
TRS803	10' Insert cable 1/4" phone - RCA
TRS804	14' Insert cable 1/4" phone - RCA

LENGTH	DESCRIPTION
Hosa	
STP802	6.6' 1/4" phone-1/4" phone
STP803	10' 1/4" phone - 1/4" phone
STP804	14' 4 pcs of our RETURN/SEND cable STP-203 in one bundle

OPTION: The 3-pin connector (XLR) of unbalanced cables can be wired with PIN #3 HOT.

LENGTH	DESCRIPTION
Whirlwind	
MTI-16S-16S-015	15' Insert, 16 1/4" TRS males to 16 1/4" TRS males
MTI-16S-16S-025	25' Insert, 16 1/4" TRS males to 16 1/4" TRS males
MTI-16S-16S-050	50' Insert, 16 1/4" TRS males to 16 1/4" TRS males
MTI-4S-8U-015	15' Insert, 4 1/4" TRS males to 8 1/4" TS males
MTI-4S-8U-025	25' Insert, 4 1/4" TRS males to 8 1/4" TS males
MTI-4S-8U-050	50' Insert, 4 1/4" TRS males to 8 1/4" TS males
MTI-8S-16U-015	15' Insert, 8 1/4" TRS males to 16 1/4" TS males
MTI-8S-16U-025	25' Insert, 8 1/4" TRS males to 16 1/4" TS males
MTI-8S-16U-050	50' Insert, 8 1/4" TRS males to 16 1/4" TS males
MTI-8S-8S-015	15' Insert, 8 1/4" TRS males to 8 1/4" TRS males
MTI-8S-8S-025	25' Insert, 8 1/4" TRS males to 8 1/4" TRS males
MTI-8S-8S-050	50' Insert, 8 1/4" TRS males to 8 1/4" TRS males

CONNECT SERIES AUDIO SNAKES

The Connect Series snakes contain many of the same features found in the Medusa® Standard snakes, at a more economical price. They feature fanouts with multiple layers of rugged heat shrink at the most critical points, metal wire mesh strain relief, connections that are hand soldered (not crimped) to the XLRs, and fanout XLRs with metal shells and 360 degree chuck style strain relief.

	DESCRIPTION
Whirlwind	
SNK164XL100	16 Sends X 4 returns, all XLR, 100'
SNK244XL100	24 Sends X 4 returns, all XLR, 100'



.....

WWW.FULLDISCOUNT.COM



DB25 PIN ANALOG & DIGITAL SNAKES

8-Channel Audio Snakes

LENGTH	DESCRIPTION
Hosa	
Analog snakes	
DTF803	10' 25pin to XLRF
DTF804	13' 25pin to XLRF
DTF805	16' 25pin to XLRF
DTF807	23.1' 25pin to XLRF
DTM807	23.1' 25pin to XLRM
DTP803	9.9' 25pin to 1/4"TRS
DTP804	13.2' 25pin to 1/4"TRS
DTP805	16.5' 25pin to 1/4"TRS
DTP807	23.1' 25pin to 1/4"TRS
DTR803	9.9' 25pin to RCA
DTR804	13.2' 25pin to RCA
DTR805	16.5' 25pin to RCA
DTM803	10' 25pin to XLRM
DTM804	13' 25pin to XLRM
DTM805	16' 25pin to XLRM

LENGTH	DESCRIPTION
Pro-Co	
Analog snakes	
DA88BQ-5	5' 25pin to 1/4"TRS
DA88BQ-10	10' 25pin to 1/4"TRS
DA88BQ-15	15' 25pin to 1/4"TRS
DA88XF-10	10' 25pin to XLRF
DA88XF-15	15' 25pin to XLRF
DA88XM-10	10' 25pin to XLRM
DA88XM-15	15' 25pin to XLRM
DA88DM-10	10' 25pin to 25pin
DA88DM-15	15' 25pin to 25pin
Hosa	
AES EBU snakes for Yamaha & Tascam	
DBK347	15' Yamaha 25/25pin
DES303	3' Tascam 25/25pin
DES305	5' Tascam 25/25pin
DES310	10' Tascam 25/25pin
DES315	15' Tascam 25/25pin

LENGTH	DESCRIPTION
Whirlwind	
MTDA88S10	10' Digital Multitrack, 25 pin DSUB to 8 1/4" TRS
MTDA88S25	25' Digital Multitrack, 25 pin DSUB to 8 1/4" TRS
MTDA88F10	10' Digital Multitrack, 25 pin DSUB to 8 XLRF
MTDA88F25	25' Digital Multitrack, 25 pin DSUB to 8 XLRF
MTDA88M10	10' Digital Multitrack, 25 pin DSUB to 8 XLRM
MTDA88M25	25' Digital Multitrack, 25 pin DSUB to 8 XLRM



HEADPHONE EXTENSION CABLES

DESCRIPTION	
Hosa	
HPE225	1/4" 15-25' Coiled
HPE325	1/4" 25' Straight
MHE125	25' 1/8" Mini Straight
Philmore	
RC15	1/8" to 1/8" coiled cable, 15 foot
RC25	1/4" 15-25' coiled
SEC10	1/8" to 1/8" straight cable, 10 foot
SEC25	1/4" 25' Straight



MIDI CABLES

LENGTH	
Hosa Molded	
MID-201	3.3' Dual
MID-202	6.6' Dual
MID-203	9.9' Dual
MID325	25'
MID-301	1'
MID-303	3'
MID-305	5'
MID-310	10'
MID-315	15'
MID-320	20'
MID-325C	25' COILED
Hosa with Metal Plugs	
MID-403	3'
MID-405	5'
MID-410	10'
MID-415	15'
MID-420	20'
MID-425	25'
Proco	
MIDI-1	1' Metal
MIDI-3	3' Metal
MIDI-5	5' Metal
MIDI-10	10' Metal
MIDI-15	15' Metal
MIDI-20	20' Metal
MIDI-25	25' Metal
MIDI-30	30' Metal
MIDI-50	50' Metal
Whirlwind	
WMD03-BK	3' 5-pin, black
WMD20-BK	20' 5-pin, black
WMD03-BL	3' 5-pin, blue
WMD10-BL	10' 5-pin, blue
WMD20-BL	20' 5-pin, blue
WMD03-RD	3' 5-pin, red
WMD06-RD	6' 5-pin, red
WMD10-RD	10' 5-pin, red
WMD20-RD	20' 5-pin, red
WMD03-WH	3' 5-pin, blue
WMD06-WH	6' 5-pin, blue
WMD10-WH	10' 5-pin, blue
WMD20-WH	20' 5-pin, blue

FIBER-OPTIC CABLES S/PDIF/ADAT

LENGTH	CONN.
Hosa TOS to TOS	
OPM303	3' Premium
OPM305	5' Premium
OPM310	10' Premium
OPM315	15' Premium
OPM320	20' Premium
OPM330	30' Premium
OPM350	50' Premium
OPT102	2' Standard
OPT103	3' Standard
OPT106	6.6' Standard
OPT110	10' Standard
OPT113	13.2' Standard
OPT117	16.5' Standard
OPT130	30' Standard
OPT601	1' 6-pack Standard

Continued on next page...



CABLES

FIBER-OPTIC CABLES S/PDIF/ADAT CON'T


	LENGTH	CONN
Hosa TOS to Mini 3.5mm		
OPQ205	5'	
OPQ210	10'	
OPQ215	15'	

CATEGORY 5E (CAT-5) CABLES

	LENGTH	CONN.
Hosa		
CAT503-BLK	3ft	enhanced
CAT505-BLK	5ft	enhanced
CAT510-BLK	10ft	enhanced

Aviom		
L30	30ft	lay-flat
L50	50ft	lay-flat
L100	100ft	lay-flat

Live Snakes



Snake Cables

MICROPHONE SNAKE CABLES

Multicable snake systems are available in any length, up to 56 channel, in stock premade types and any size in custom systems, splitters, connectorized, etc.

	LGTH	DESCR	CHNLS
Pro-Co—Multi-Cable Snakes			
XLR Whip to XLR Box			
RM0800FBM-50	50'	8x0	8
RM0800FBM-100	100'	8x0	8
RM0804FBX-50	50'	8x4	12
RM0804FBX-100	100'	8x4	12
RM0804FBQ-50	50'	8x4	12
RM0804FBQ-100	100'	8x4	12
RM0804FBX-150	150'	8x4	12
RM0804FBX-200	200'	8x4	12
RM1200FBM-50	50'	12x0	12
RM1200FBM-100	100'	12x0	12
RM1204FBQ-100	100'	12x4	16
RM1204FBX-50	50'	12x4	16
RM1204FBX-100	100'	12x4	16
RM1204FBX-150	150'	12x4	16
RM1600FBM-100	100'	16x0	16
RM1604FBQ-100	100'	16x4	20
RM1604FBX-50	50'	16x4	20
RM1604FBX-100	100'	16x4	20
RM1604FBX-150	150'	16x4	20
RM2404FBX-100	100'	24x4	28
RM2404FBX-150	150'	24x4	28
RM2408FBQ-100	100'	24x8	32
RM2408FBX-100	100'	24x8	32
RM2408FBX-150	150'	24x8	32
RM3208FBX-100	100'	32x8	40
RM3208FBX-150	150'	32x8	40
SMA0804FBQ-100	100' econ.	8x4	12
SMA0804FBX-100	100' econ.	8x4	12
SMA1204FBQ-100	100' econ.	8x4	12
SMA1204FBX-100	100' econ.	12x4	16
SMA1604FBQ-100	100' econ.	16x4	16
SMA1604FBX-100	100' econ.	16x4	20
SMA2404FBQ-100	100' econ.	24x4	28
SMA2404FBX-100	100' econ.	20x4	28

FBX=XLR RETURNS, FBQ=1/4"

RETURNS

Whirlwind			
MS06-3-XL-100	100'	6x3	9
MLTSN4X4-50	50	4x4	8
MS06-0-NR-50	50'	6x0	6
MS06-0-NR-100	100'	6x0	6
MS06-M-NR-25	25	6x0	6
MS06-M-NR-50	50	6x0	6
MS06-M-NR-100	100	6x0	6
MS12-M-NR-25	25	12x0	12
MS12-M-NR-50	50	12x0	12
MS12-M-NR-100	100	12x0	12
MS08-0-NR-100	100	8x0	8
MS08-0-NR-150	150	8x0	8
MS08-0-NR-50	50	8x0	8

	LGTH	DESCR	CHNLS
MS08-4-SB-100	100	8x4	12
MS08-4-SB-50	50	8x4	12
MS08-4-XL-100	100	8x4	12
MS08-4-XL-150	150	8x4	12

Whirlwind

MS08-4-XL-50	50	8x4	12
MS12-0-NR-100	100	12x0	12
MS12-0-NR-150	150	12x0	12
MS12-0-NR-50	50	12x0	12
MS12-4-SB-100	100	12x4	16
MS12-4-SB-150	150	12x4	16
MS12-4-SB-50	50	12x4	16
MS12-4-XL-100	100	12x4	16
MS12-4-XL-150	150	12x4	16
MS12-4-XL-50	50	12x4	16
MS16-0-NR-100	100	16x0	16
MS16-0-NR-150	150	16x0	16
MS16-0-NR-50	50	16x0	16
MS16-4-SB-100	100	16x4	20
MS16-4-SB-150	150	16x4	20
MS16-4-SB-50	50	16x4	20
MS16-4-XL-100	100	16x4	20
MS16-4-XL-150	150	16x4	20
MS16-4-XL-50	50	16x4	20
MS20-0-NR-100	100	20x0	20
MS20-0-NR-150	150	20x0	20
MS20-0-NR-50	50	20x0	20
MS24-0-NR-100	100	24x0	24
MS24-0-NR-150	150	24x0	24
MS24-0-NR-50	50	24x0	24
MS24-4-SB-100	100	24x4	28
MS24-4-SB-150	150	24x4	28
MS24-4-SB-50	50	24x4	28
MS24-4-XL-100	100	24x4	28
MS24-4-XL-150	150	24x4	28
MS24-4-XL-50	50	24x4	28
MS24-8-SB-100	100	24x8	32
MS24-8-SB-150	150	24x8	32
MS24-8-SB-50	50	24x8	32
MS24-8-XL-100	100	24x8	32
MS24-8-XL-150	150	24x8	32
MS24-8-XL-50	50	24x8	32
MS32-0-NR-100	100	32x0	32
MS32-0-NR-150	150	32x0	32
MS32-0-NR-50	50	32x0	32
MS32-8-SB-100	100	32x8	40
MS32-8-SB-150	150	32x8	40
MS32-8-SB-50	50	32x8	40
MS32-8-XL-100	100	32x8	40
MS32-8-XL-150	150	32x8	40
MS32-8-XL-50	50	32x8	40
MS40-0-NR-100	100	40x0	40
MS40-0-NR-150	150	40x0	40
MS40-0-NR-50	50	40x0	40
MS48-8-SB-100	100	48x8	56
MS48-8-SB-150	150	48x8	56
MS48-8-SB-50	50	48x8	56
MS48-8-XL-100	100	48x8	56
MS48-8-XL-150	150	48x8	56
MS48-8-XL-50	50	48x8	56
MS56-0-NR-100	100	56x0	56
MS56-0-NR-150	150	56x0	56
MS56-0-NR-50	50	56x0	56

NEED A TEMPORARY SOLUTION?

We have thousands of answers.
The majority of items in this catalog
can be rented. It's an opportunity
to temporarily expand your
clients' existing systems.
Call and ask for **RENTALS** today.

CONFIDENTIAL

The prices in this catalog are only for:

- ✓ CONTRACTORS
- ✓ AV DEALERS
- ✓ RETAILERS
- ✓ SYSTEM INTEGRATORS
- ✓ SECURITY INSTALLERS

WE'VE GOT YOUR PARTS

We have parts for every manufacturer's product that we sell. Give us a call & let us know what you are looking for.

1-800-828-0509 extension 1358

POWER SNAKES WITH TWO 14-GAUGE 1/4" JACK SPEAKER RETURN LINE

	LENGTH	DESCRIPTION
Whirlwind		
MP08-100	100'	8-mic 1-line, 2-speaker
MP12-100	100'	12-mic 1-line, 2-speaker
MP16-100	100'	16-mic 0-line, 2-speaker

AVIOM AN-16 Cat-5e Digital Snake System

This groundbreaking system is comprised of the AN-16/I input module and the AN-16/O output module. When used together, a single CAT-5e cable will transmit 16 channels of high quality audio up to 500 ft.! An A-Net expansion port allows 2 I/O module combinations to work in concert. Analog inputs and outputs are true balanced TRS 1/4" connectors. The input module has clip LED's & stereo.mono switches for each pair of inputs. The output module has a +4/-10 switch, signal present/clip LED's. LIST AN-16/I16 channel Input Module899.95 AN-16/O16-Channel Output Module.....899.95

CALL FOR PRICE



PIG BAG

PIG BAGS

Bags for keeping snake fantails together.

	DESCRIPTION
Whirlwind	
PIGBAG-S	Small for 28 channels or less
PIGBAG-L	Large for up to 32 channels



CABLE REELS

	DESCRIPTION
Whirlwind	
MRLG	Economy reel
MRSM	Economy reel
WD1	Mic cable/small snake reel w/ handle
WD2	Mic cable/small snake reelw/ handle
WD3	Large capacity split reel w/crank handle
WD3S	Large capacity split reel w/crank handle
WD5	Super large capacity split reel w/tray/handle

Consult your sales associate for assistance in choosing the best reel for your applications

Speaker Cables



1 / 4 " PHONE AT BOTH ENDS

	GAGE	LENGTH
Pro-Co		
03-SPK12-QQ	12	3'
06-SPK12-QQ	12	6'
06-SPK14-QQ	14	6'
10-SPK12-QQ	12	10'
10-SPK14-QQ	14	10'
10-SPK16-QQ	16	10'
15-SPK12-QQ	12	15'
15-SPK14-QQ	14	15'
25-SPK12-QQ	12	25'
25-SPK14-QQ	14	25'
25-SPK16-QQ	16	25'
50-SPK12-QQ	12	50'
50-SPK14-QQ	14	50'
50-SPK16-QQ	16	50'
75-SPK12-QQ	12	75'
75-SPK14-QQ	14	75'
100-SPK12-QQ	12	100'
100-SPK14-QQ	14	100'
150-SPK12-QQ	12	150'

	GAGE	LENGTH
Whirlwind		
SPKR1410	14	10'
SPKR1425	14	25'
SPKR1450	14	50'
SPKR1610	16	10'
SPKR1625	16	25'
SPKR1650	16	50'
SK110G12	12	10'
SK125G12	12	25'
SK150G12	12	50'
SK1100G12	12	100'
SK110G14	14	10'
SK125G14	14	25'
SK150G14	14	50'
SK1100G14	14	100'
SK110G16	16	10'
SK125G16	16	25'
SK150G16	16	50'
SK1100G16	16	100'

1 / 4 " PHONE-PLUGS AT ONE END & BANANA-PLUG AT THE OTHER END

	GAGE	LENGTH
Pro-Co		
10-SPK14-QB	14	10'
25-SPK14-QB	14	25'
25-SPK16-QB	16	25'
50-SPK12-QB	12	50'
50-SPK14-QB	14	50'
50-SPK16-QB	16	50'
100-SPK12-QB	12	100'
100-SPK14-QB	14	100'

	GAGE	LENGTH
Whirlwind		
SK310G12	12	10'
SK325G12	12	25'
SK350G12	12	50'
SK3100G12	12	100'
SK310G14	14	10'
SK325G14	14	25'
SK350G14	14	50'
SK3100G14	14	100'
SK310G16	16	10'
SK325G16	16	25'
SK350G16	16	50'

WWW.FULLDISCOUNT.COM



CABLES

4-PIN SPEAKON CONNECTOR AT BOTH ENDS

	LENGTH	CONDUCTORS
Pro-Co		
10-SPK12/2-SS	10'	2
10-SPK14/2-SS	10'	2
15-SPK12/2-SS	15'	2
25-SPK11/4-SS	25'	4
25-SPK12/2-SS	25'	2
25-SPK16/2-SS	25'	2
50-SPK11/4-SS	50'	4
50-SPK12/2-SS	50'	2
50-SPK14/2-SS	50'	2
50-SPK16/2-SS	50'	2
75-SPK12/2-SS	75'	2
100-SPK11/4-SS	100'	4
100-SPK12/2-SS	100'	2
100-SPK16/2-SS	100'	2

Whirlwind

NL4-010	10'	4
NL4-025	25'	4
NL4-050	50'	4
NL4-100	100'	4
NL4-125	125'	4
NL4-150	150'	4

4-PIN SPEAKON CONNECTOR AT ONE END & BANANA PLUG ON THE OTHER END

	LENGTH	CONDUCTORS
Pro-Co		
25-SPK11/4-SB	25'	4
25-SPK14/2-SB	25'	2
25-SPK16/2-SB	25'	2
50-SPK11/4-SB	50'	4
50-SPK12/2-SB	50'	2
50-SPK16/2-SB	50'	2
100-SPK11/4-SB	100'	4
100-SPK12/2-SB	100'	2
100-SPK16/2-SB	100'	2

Whirlwind

SK225G12	25	4
SK250G12	50	4
SK2100G12	100	4
SK425G12	25	4
SK450G12	50	4
SK4100G12	100	4

4-PIN SPEAKON AT ONE END & 1/4" PHONE ON THE OTHER END

	LENGTH	CONDUCTORS
Pro-Co		
10-SPK12/2-SQ	10'	2
10-SPK14/2-SQ	10'	2
15-SPK12/2-SQ	15'	2
25-SPK12/2-SQ	25'	2
25-SPK14/2-SQ	25'	2
25-SPK16/2-SQ	25'	2
50-SPK12/2-SQ	50'	2
50-SPK14/2-SQ	50'	2
50-SPK16/2-SQ	50'	2
75-SPK12/2-SQ	75'	2
100-SPK12/2-SQ	100'	2

.....
WWW.FULLDISCOUNT.COM

Cable Ties and Velcro

ALL STATES CABLE TIES

Designed and patented by All States in 1968, these one-piece, all-nylon cable ties have become an industry standard. One piece design makes these cable ties easier to install, more durable and less costly than other styles. All ties listed below meet Mil. Standard 3367 number and natural color. Other colors and sizes are available.

MODEL	DESCRIPTION
RT350-1000	Bulk-3 3/4" cable tie, 18 lbs tensile strength, 1000 pack
RT350-100	Bulk-3 3/4" cable tie, 18 lbs tensile strength, 100 pack
RT550-1000	Bulk-6" cable tie, 40 lbs tensile strength, 1000 pack
RT550-100	Bulk-6" cable tie, 40 lbs tensile strength, 100 pack
RT675-1000	Bulk-7 1/4" cable tie, 50 lbs tensile strength, 1000 pack
RT675-100	Bulk-7 1/4" cable tie, 50 lbs tensile strength, 100 pack

PLANET WAVES CABLE TIES

MODEL	DESCRIPTION
PW-ECT	Reusable, elastic cable tie, four pieces
PW-CC-4	Reusable, cable clamp, pack of four
PW-CC-4	Reusable, cable clamp, pack of fifty

VELCRO CABLE WRAPPERS

With center slot for cable

	LENGTH	DESCRIPTION
Hosa		
WTI-148G	8"	Wrapper, 5-pk
WTI-160G	8"	Wrapper, 20-pk
WTI-156G	12"	Wrapper, 5-pk
WTI-161G	12"	Wrapper, 20-pk
WTI-157G	18"	Wrapper, 5-pk

CONFIDENTIAL

The prices in this catalog are only for:

- CONTRACTORS
- AV DEALERS
- RETAILERS
- SYSTEM INTEGRATORS
- SECURITY INSTALLERS

DON'T FORGET!

.....
 You must fill out the
DEALER APPLICATIONS
 on pages 3 & 4 or online
 to purchase from this catalog.

CABLES/ADAPTERS

PREMADE VIDEO CABLES

	LENGTH	DESCRIPTION
Canare		
VIC025F	25'	BNC-BNC
VIC050F	50'	BNC-BNC
VIC100F	100'	BNC-BNC
3VS03-3C	10'	3ch BNC-BNC Snake
3VS05-3C	16'	3ch BNC-BNC Snake
4VS03-3C	10'	4ch BNC-BNC Snake
4VS05-3C	16'	4ch BNC-BNC Snake
5VS03-3C	10'	5ch BNC-BNC Snake
5VS05-3C	16'	5ch BNC-BNC Snake

Kramer

C-BM/BM-3	3'	molded BNC to BNC
C-BM/BM-6	6'	molded BNC to BNC
C-BM/BM-10	10'	molded BNC to BNC
C-BM/BM-25	25'	molded BNC to BNC
C-BM/BM-50	50'	molded BNC to BNC
C-BM/BM-100	100'	molded BNC to BNC
C-5BM/5BM-6	6'	molded 5ch BNC-M to BNC-M snake
C-5BM/5BM-10	10'	molded 5ch BNC-M to BNC-M snake
C-5BM/5BM-15	15'	molded 5ch BNC-M to BNC-M snake
C-5BM/5BM-25	25'	molded 5ch BNC-M to BNC-M snake
C-SM/SM-6	6'	molded 4pin S-Video cable (M-M)
C-SM/SM-25	25'	molded 4pin S-Video cable (M-M)
C-SM/SM-50	50'	molded 4pin S-Video cable (M-M)
C-SM/SM-100	100'	molded 4pin S-Video cable (M-M)

Mogami/Marshall

TCS5139-06	6'	S-VHS-S-VHS
TCS5139-12	12'	S-VHS-S-VHS
TCS5139-20	20'	Y/C Coiled
TCS5139-30	30'	Y/C Coiled
TCS5139-50	50'	S-VHS-S-VHS
TCS5139-75	75'	S-VHS-S-VHS
TCS5139-100	100'	S-VHS-S-VHS

Philmore

CA902B	3'	BNC-BNC cables
CA903B	6'	BNC-BNC cables
CA904B	12'	BNC-BNC cables
CA908B	3'	BNC-RCA cables
CA909B	6'	BNC-RCA cables
CA905B	3'	RCA-RCA cables
CA906B	6'	RCA-RCA cables
CA907B	12'	RCA-RCA cables
CA910B	10'	BNC-RCA
CA915	50'	RCA-RCA
VHS46	6'	S-VHS cables, male to male (normal)
VHS406	6'	S-VHS cables, male to female (extension)
VHS412	12'	S-VHS cables, male to male (normal)
VHS4012	12'	S-VHS cables, male to female (extension)
VHS48		S-VHS cables, in-line female to female adapter

RGB-Mate

BCA6106	6'	molded 4 ch BNC-M to BNC-M snake
BCA6125	25'	molded 4 ch BNC-M to BNC-M snake
BCA6206	6'	molded 5 ch BNC-M to BNC-M snake
BCA6225	25'	molded 5 ch BNC-M to BNC-M snake
SVCA3106	6'	molded 4pin S-Video cable (M-M)
SVCA3115	15'	molded 4pin S-Video cable (M-M)
SVCA3150	50'	molded 4pin S-Video cable (M-M)
SVCA31100	100'	molded 4pin S-Video cable (M-M)

DV / IEEE-1394 / I-LINK / FIREWIRE CABLES

	LENGTH	DESCRIPTION
Hosa		
FIW-44-110	10'	4pin-4pin
FIW-44-115	15'	4pin-4pin
FIW-46-110	10'	4pin-6pin
FIW-46-115	15'	4pin-6pin
FIW-66-106	5'	6pin-6pin
FIW-66-110	10'	6pin-6pin
FIW-66-115	15'	6pin-6pin
FEX120	66ft extension	4pin-4pin
FEX130	99ft extension	4pin-4pin
FEX150	65ft extension	4pin-4pin
FXT401		long distance Firewire system

Kramer

C-FM/FM-3	3'	6pin-6pin
C-FM/FM-6	6'	6pin-6pin
C-FM/FM-10	10'	6pin-6pin
C-FM/FM-15	15'	6pin-6pin
C-FM/FM-25	25'	6pin-6pin

Sony

VMCIL4415	2-meters	4pin-4pin
VMCIL4435	4 meters	4pin-4pin

TecNec

FIRE4/4-6	6'	4pin-4pin
FIRE6/4-6	6'	6pin-4pin
FIREWIRE-6	6'	6pin-6pin
FIREWIRE-15	15'	6pin-6pin
FWC-4-4-30	30'	4pin-4pin
FWC-4-4-70	70'	4pin-4pin

VGA CABLES

	LENGTH	DESCRIPTION
KRAMER:		
C-GM/GM-10	10'	molded VGA-M to VGA-M cable
C-GM/GM-50	50'	molded VGA-M to VGA-M cable
C-GM/GM-75	75'	molded VGA-M to VGA-M cable
C-GM/GM-100	100'	molded VGA-M to VGA-M cable
C-GM/GF-10	10'	molded VGA-M to VGA-F cable
C-GM/GF-50	50'	molded VGA-M to VGA-F cable
C-GM/GF-75	75'	molded VGA-M to VGA-F cable
C-GM/GF-100	100'	molded VGA-M to VGA-F cable
C-GM-50	50'	install cable- VGA-M to bare end
C-GM/5BM-25	25'	molded VGA-M to 5BNC-M cable
C-GF/5BM-25	25'	molded VGA-F to 5BNC-M cable
C-GM/5BF-25	25'	molded VGA-M to 5BNC-F cable

RGB-MATE

VCA5115	15'	molded VGA-M to VGA-M cable
VCA5150	50'	molded VGA-M to VGA-M cable
VCA51100	100'	molded VGA-M to VGA-M cable
VCA5150P	50'	plenum VGA-M to VGA-M cable
VCA51100P	100'	plenum VGA-M to VGA-M cable
VCA5215	15'	molded VGA-M to VGA-F cable
VCA5250	50'	molded VGA-M to VGA-F cable
VCA52100	100'	molded VGA-M to VGA-F cable
VCA5250P	50'	plenum VGA-M to VGA-F cable
VCA52100P	100'	plenum VGA-M to VGA-F cable
VCA5150A	50'	molded VGA-M to VGA-M w/audio cable
VCA5250A	50'	molded VGA-M to VGA-F w/audio cable

DVI CABLES

	LENGTH	DESCRIPTION
KRAMER		
C-DM/DM-3	3'	DVI-D Dual Link (M-M) cable
C-DM/DM-6	6'	DVI-D Dual Link (M-M) cable
C-DM/DM-15	15'	DVI-D Dual Link (M-M) cable
C-DM/DM-25	25'	DVI-D Dual Link (M-M) cable
C-DM/DM-50	50'	DVI-D Dual Link (M-M) cable
C-DM/DM-65	65'	DVI-D Dual Link (M-M) cable

