



AKG C417 OMNIDIRECTIONAL MICROPHONE Part of the MicroMic series, the C417 has an extended frequency range of 20Hz-20kHz and features a design that can easily be hidden on a lapel on in clothing. It comes with a lapel clip and windscreen. Requires 48V phantom power.

ITEM	DESCRIPTION	PRICE
C417/LMic with mini-XLR connector and integrated phantom power	99.00
B29LBattery pack for C417	79.00



AUDIO-TECHNICA ATR3350 MINI LAPEL

The affordable ATR3350 omnidirectional lapel mic is reliable and effective. The newscaster-style electret condenser design has a 50Hz-18kHz frequency response and -54dB sensitivity at a 1000ohm impedance. Includes battery, 1/4" plug adapter, tie clip, and foam windscreen.

ITEM	DESCRIPTION	PRICE
ATR3350Omni lapel mic	23.51

AUDIO-TECHNICA PR070 CARDIOID CONDENSER LAVALIER MIC

This miniature condenser microphone provides natural vocal reproduction and is also excellent for full sounding acoustic guitar pickup. It is equipped with a low-frequency roll-off switch to reduce low frequency room noise and a cardioid polar pattern that further isolates the desired sound source. Operates on battery or phantom power and has a 6' cable attached between the mic and power module. Includes mic clip, instrument adapter, windscreen, battery, and soft pouch.

ITEM	DESCRIPTION	PRICE
PR070Lav/instrument mic, 100Hz-14kHz	119.06

AUDIO-TECHNICA AT803/AT831 LAPEL MICS

These clip-on lavalier mics were specifically designed for professional video, broadcast and performance applications. Specially tailored response assures crisp, natural voice and instrument pickup in an unobtrusive package. The omnidirectional AT803 provides traditional performance while the cardioid pickup pattern of the AT831 reduces ambient noise for improved sound isolation. The AT803 and AT831B are powered by 11-52V phantom power or a 1.5V AA-type battery. The AT831C and R use phantom power only. Includes clip, windscreen, and protective carrying case. The AT831B and R also include an instrument adapter mount and all but the AT831C include a power module with on/off/rolloff switch.

ITEM	DESCRIPTION	PRICE
AT803Miniature omni lapel, phantom power or battery	166.97
AT831BMiniature cardioid lapel, phantom power or battery	179.00
AT831CMiniature cardioid lapel, phantom only, unterminated	93.99
AT831RMiniature cardioid lapel, phantom only, no power module	192.77

AUDIO-TECHNICA MT830R OMNIDIRECTIONAL CONDENSER LAVALIER MICROPHONE

Designed to be worn as a lavalier or hidden in loose clothing or in the hair, the MT830R provides high intelligibility for lecturers, stage/TV performers and singers. The mic's wide-range capability ensures clean, accurate reproduction. It operates on phantom power only. Clothing clip and windscreen included.

ITEM	DESCRIPTION	PRICE
MT830RIncludes AT8533 power module, black finish	183.68
MT830CIncludes 55" cable, unterminated, black finish	84.77
MT830CT5Includes 55" cable with TA5F connector for ATW-U101 and Lectrosonics bodypack systems, black finish	111.69
MT830CT5-THAs MT830CT5, with beige finish	111.69
MT830CWIncludes 55" cable with locking 4-pin connector for Audio-Technica UniPak wireless, black finish	88.47
MT830CW-THAs MT830CW, with beige finish	93.99

AUDIO-TECHNICA AT899 SUBMINI OMNI LAPEL MICROPHONE

Only 5mm in diameter with clean, accurate reproduction. Includes 12 accessories. Available in black or beige.

ITEM	DESCRIPTION	PRICE
AT899With battery/phantom power module and low-cut switch	220.39
AT899CWWith 4-pin AT wireless connector	137.24
AT899CT55-pin connector for AT wireless	141.43
AT899CWith bare end cable for custom termination	133.57



DPA MINIATURE MICS These omnidirectional miniature microphones are resistant to humidity, sweat, wind and plosive sounds. All models have 5.4mm diaphragms and require remote power.

Adapters are required for use with wireless systems, see page 26. Available in white, beige or black.

ITEM	DESCRIPTION	PRICE
4060Lapel, high sensitivity, MicroDot connector	429.95
4061Lapel, low sensitivity, MicroDot connector	429.95
4062Lapel, extra-low sensitivity, MicroDot connector	429.95
4066Adjustable headband microphone, MicroDot connector	629.95



POINT SOURCE CO-7L MINIATURE LAVALIER

This omnidirectional lavalier microphone has high performance characteristics, and is ideal for applications requiring a low profile or unobtrusive fit. Features 140dB SPL, optimal gain before feedback, and is compatible with most wireless systems. Available in beige, black or tan in order to match hair, skin, or clothing.

ITEM	DESCRIPTION	PRICE
CO-7L-ATMiniature lavalier mic for Audio-Technica wireless belt packs	259.00
CO-7L-SEMiniature lavalier mic for Sennheiser wireless belt packs	259.00
CO-7L-SHMiniature lavalier mic for Shure wireless belt packs	259.00



QUE AUDIO PERFORMANCE SERIES LAVALIER MICS Features a 2.5mm full frequency capsule with a water-resistant enclosure and interchangeable adapter options. The capsule has an omnidirectional pattern and high SPL. It comes with a tie clip, zipper pouch and 2 windscreens. Cable adapter required.

ITEM	DESCRIPTION	PRICE
DA04BLLavalier mic, -45dB sensitivity, black	229.00
DA04BEAs above, in beige	229.00

See page 36 for list of adapters (sold separately) for Que Audio mics.



The world's most original microphone maker

SANKEN COS11D MINI LAVALIER MICS

Specifically to diminish the instances where interference is an issue, this omnidirectional, self-polarized condenser mic has a frequency range of 50Hz-20kHz, and a sensitivity rating of -35dB. It is ideal for live broadcasting, location recording and studio applications and operates on 48V phantom power (COS-11D) or battery power (COS-11D-BP). Includes clip, windscreen, rubber mount, AA battery and vinyl case. Available in black, gray, beige and white.

ITEM	DESCRIPTION	PRICE
COS-11DMini lavalier mic, 48V, XLR	469.00
COS-11D-BPMini lavalier mic, battery powered, XLR	469.00

AUDIO



COMPUTER AV



ACCESSORIES



Follow us!

Shop anytime. Buy online. Go to fullcompass.com



RØDE LAVALIER MIC

Røde's lavalier mic features low handling noise and designed to be worn discreetly. Includes a mic clip, detachable cable, a water-resistant pop filter, mini furry windscreen, adjustment tools, cleaning wipes, and an anti-trauma water-resistant case. Mic is compatible with Røde's MiCon™ adapters (see below).



ITEM	DESCRIPTION	PRICE
LAVALIER.....	Omnidirectional lav mic, black, 60Hz-18kHz.....	249.00

MICON™

MICON ACCESSORIES FOR RØDE LAVALIER MIC SYSTEM Adapters and cables to connect Rode Pinnic and Lavalier to various wireless systems.

ITEM	DESCRIPTION	PRICE
MICON-1	Adapter for Sennheiser SK500, SK300G3, SK100G3, SK500G2, SK300G2, SK2-Freeport.....	18.00
MICON-2	3.5 stereo mini jack adapter (1V minimum power supply).....	18.00
MICON-3	Adapter for Shure UR1, UR1M, ULX1, SLX1, PGI1, PG1.....	23.00
MICON-4	Adapter for Audio Technica UniPak Body-Pack Series 1800, 2000, 3000.....	27.00
MICON-5	48V phantom power adapter, 3-pin XLR.....	27.00
MICON-CABLE-1.2M.....	4ft MiCon cable.....	32.00
MICON-CABLE-3M.....	9ft MiCon cable.....	39.00



COUNTRYMAN ISOMAX-B3 OMNI MICRO LAVALIER MIC

The B3 lavalier mic is an amazing 4.6mm in diameter and virtually disappears on the wearer. An omnidirectional condenser mic, the B3 has an ultra-flat frequency response from 10Hz-25kHz with SPL handling to 150dB. A rugged Kevlar-reinforced cable provides extremely low handling noise. The B3 is moisture and makeup resistant with an easily washable protective screen. Five colors are available: Black, White, Light Skin, Cocoa and Gray (models listed below are Black). The B3 may be ordered with XLR/phantom termination or pre-wired for a variety of wireless transmitters.



ITEM	DESCRIPTION	PRICE
B3P4FF05B.....	B3 lavalier mic, XLR.....	180.24
B3W4FF05B-AT.....	B3 for Audio-Technica, 4-pin.....	182.67
B3W4FF05B-SA.....	B3 for Samson, 6-pin.....	182.67
B3W4FF05B-SV.....	B3 for Samson, 3-pin.....	174.07
B3W4FF05B-S3.....	B3 for Sennheiser, 3-pin.....	203.80
B3W4FF05B-SL.....	B3 for Shure TA4F.....	174.07
B3W4FF05B-S0.....	B3 for Sony, 4-pin.....	203.80
B3W4FF05B-TS.....	B3 for Telex TA4F.....	174.07
B3W4FF05B-TL.....	B3 for Telex LEMO, 4-pin.....	182.67
B3W4FF05B-VS.....	B3 for Vega TA4F.....	174.07
B3W4FF05B-NC.....	B3 with 2-wire pigtailed.....	148.33
B3WSB.....	Replacement windscreen.....	8.00
ABCBELTCLIP.....	Replacement beltclip.....	17.96
AXBPM.....	Battery module.....	110.54



COUNTRYMAN B2D DIRECTIONAL LAVALIER

One of the smallest directional lavaliers in the world. Features a tight hypercardioid pattern with an extra 6-10 dB of headroom, has moisture resistance and a rugged build, is tuned for speech, and has detachable cables for a wide variety of wireless and wired applications. Its hypercardioid pattern means less problems with feedback, ambient noise, room rumble, and phase cancellations with multiple mics. Supplied with wireless adapter, carrying case, shock mount clip, windscreen and protective cap. There are 3 sensitivity options – standard for general, mid for head miking/theater and low for head miking powerful vocals/opera. Five colors are available: Black, White, Light Skin, Cocoa and Gray (models listed below are Black). The B2D may be ordered with XLR/phantom termination (shown below) or pre-wired for a variety of wireless transmitters. Please call for options.



ITEM	DESCRIPTION	PRICE
B2DP4FF05B-HW.....	Hypercardioid lavalier, XLR male, standard sensitivity, black.....	432.84
B2DP5FF05B-HW.....	Hypercardioid lavalier, XLR male, mid sensitivity, black.....	432.84
B2DP6FF05B-HW.....	Hypercardioid lavalier, XLR male, low sensitivity, black.....	432.84

COUNTRYMAN ISOMAX-B6 MICRO LAPTEL MIC

The B6 is the world's smallest lapel mic. At only .1" in diameter, the B6 offers a 40Hz- 25kHz response, is available in four colors and has a Kevlar reinforced cable for high strength and ultra-low noise. Get the visual effect of a hidden mic without the hassle and loss of sound quality you get from hiding one in clothing. The B6 is resistant to sweat and makeup and can be custom configured with connectors for most wireless transmitters or for XLR inputs with phantom power.



ITEM	DESCRIPTION	PRICE
B6P4FF05B.....	Omni sub-micro lapel mic, black.....	287.05
B6P4FF05G.....	Omni sub-micro lapel mic, gray.....	287.05
B6P4FF05L.....	Omni sub-micro lapel mic, light beige.....	287.05
B6P4FF05W.....	Omni sub-micro lapel mic, white.....	287.05

COUNTRYMAN EMW LAPTEL MIC

This electret condenser mic offers an omnidirectional polar pattern, uniform pickup and a wide frequency range of 20Hz-20kHz. A mere 1/8" thick, the flat EMW offers discreet placement for broadcast and performance. Other features include: Kevlar-reinforced cable with low handling noise, sealed design for excellent moisture resistance and a variety of clip options. Three frequency response patterns are available: "F" Flat-response, "S" Shelved-up response (6dB curve, 2kHz-15kHz) and "P" Peaked-response (sharp upward curve at 12kHz). All versions are available pre-wired for wireless use.



ITEM	DESCRIPTION	PRICE
MEMWP4F05B.....	EMW, XLR, flat response.....	178.58
MEMWP4P05B.....	EMW, XLR, peaked response.....	178.58
MEMWP4S05B.....	EMW, XLR, shelved-up response.....	178.58
AEMWCLIP-B.....	Replacement tie clip, black.....	14.54
AEMWVIPER-B.....	Viper clothing clip.....	13.02
A3B3WS-L-LIGHT-SKIN.....	Replacement windscreen.....	8.00

COUNTRYMAN ISOMAX-II

The Isomax-II series of precision electret condenser microphones are equally suited for recording and sound reinforcement. Available in 3 polar patterns (omni, cardioid, hypercardioid), they have extremely low noise and are capable of handling high SPLs to 150dB. The subtle black finish and miniature size allow for unobtrusive use in television and theater applications. Comes with a 10' cord with XLR output, mounting clip and windscreen. Phantom power required.



ITEM	DESCRIPTION	PRICE
M2CP6FF10/ISOMAX2-C.....	Cardioid lavalier mic, 50Hz-20kHz.....	189.16
M2OP6FF10.....	Omni lavalier mic, 20Hz-20kHz.....	189.16
M2HP6FF10.....	Hypercardioid lavalier mic, 50Hz-20kHz.....	189.16
A2WS-BLK.....	Replacement windscreen, black.....	9.99
AXBPM.....	Battery module.....	110.54

Visit fullcompass.com today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



AUDIO



MUSIC



COMPUTER AV



ACCESSORIES



AUDIO



MUSIC



COMPUTER AV




VIDEO



LIGHTS



ACCESSORIES



SHURE MX150 SUBMINIATURE LAVALIER MICROPHONE A professional electret condenser mic ideal for low-profile placement applications. Fully compatible with all Shure wireless systems, it offers uncompromising sound quality and high reliability for television broadcasting, corporate lectures, A/V teleconferencing, houses of worship, and sound reinforcement. Features include CommShield® Technology to prevent cellular RF signal interference, matte black finish, multi-position tie clip, reduced handling noise, user-changeable equalization caps (omni only), snap-fit windscreens. Requires phantom power.

ITEM	DESCRIPTION	PRICE
MX150B/O-TQG	Microflex® omnidirectional subminiature lavalier microphone with TQG connection	199.00
MX150B/O-XLR	As above, with XLR connection	299.00
MX150B/C-TQG	Microflex® cardioid subminiature lavalier microphone with TQG connection	199.00
MX150B/C-XLR	As above, with XLR connection	299.00



SHURE MICROFLEX LAPEL MICS The Microflex lavalier condenser mics feature high sensitivity, a frequency response of 50Hz-17kHz, interchangeable condenser cartridges (MX models), & a variety of low-visibility mounting options. MX models are terminated to XLR & include a belt-clip preamp. WL versions are terminated with TA4F connectors for Shure wireless systems.

ITEM	DESCRIPTION	PRICE
MX183	Omnidirectional condenser lavalier mic, phantom only	160.52
MX184	Supercardioid condenser lavalier mic, phantom only	178.61
MX185	Cardioid condenser lavalier mic, phantom only	172.97
WL183	Omnidirectional, terminated for Shure wireless (TA4F)	91.74
WL184	Supercardioid, terminated for Shure wireless (TA4F)	113.70
WL185	Cardioid, terminated for Shure wireless (TA4F)	107.24
R183B	Omnidirectional cartridge option for MX184/MX185	38.28
R184B	Supercardioid cartridge option for MX183/MX185	61.85
R185B	Cardioid cartridge option for MX183/MX184	53.01

SHURE SM11 OMNI DYNAMIC LAVALIER For those who need a dynamic lavalier microphone, the SM11 is the smallest model available. Shure ruggedness and dependability in a mic no longer than a paper clip.

ITEM	DESCRIPTION	PRICE
SM11CN	Omni lavalier	109.68

SHURE SM93 OMNI MICRO CONDENSER LAPEL

The SM93 lavalier microphone is ideal for broadcast, stage and film because of its tiny size and clear, tailored frequency response. Features: Omni directional pattern, a variety of low-visibility mounting options, 80Hz-20kHz frequency response, windscreen and in-line preamp with XLR output.

ITEM	DESCRIPTION	PRICE
SM93	Omnidirectional lavalier mic, preamp, XLR out	141.65
WL93	Omnidirectional lavalier mic for Shure wireless (TA4F)	68.54
WL93T	As WL93, with tan finish	68.54

SENNHEISER

SENNHEISER MKE2 OMNI MICRO LAPEL CONDENSER

Available unwired for a variety of wireless applications, wired to an XLR connector or as part of the K6 modular system. 6mm in diameter and flat from 20Hz-20kHz. Gold versions have reduced sensitivity and improved moisture resistance.

ITEM	DESCRIPTION	PRICE
MKE2-5-K	Pigtail, black finish	379.95
MKE2-5-3C-GOLD	Pigtail, buff finish	349.95
MKE2-5C-GOLD	Pigtail, black finish	349.95
MKE2-60-GOLD	For use with the K6 power unit	369.95
MKE2-EW-GOLD	For EW wireless, black finish	389.95
MKE2-P-C	With XLR for phantom power	399.95
K6	Power module for MKE2-60	249.95
MZQ222	Replacement clip for MKE2	15.95



SONY

SONY ECMFT5 ULTRA-MINIATURE

A metal-bodied, ultra-miniature lapel mic with omnidirectional polar pattern. The ECMFT5 is 4.9mm thick and has a moisture repellent screen. Available with termination for either DWX/WL800 or UWP systems. Includes tie clip, taping mount, wind screen, and carrying case.



ITEM	DESCRIPTION	PRICE
ECMFT5BMP	Omnidirectional lapel mic	CALL

SONY ELECTRET SERIES CONDENSER MICS

These mics operate on a single AA battery and come with a urethane windscreen and clip.



SONY ECM44B OMNIDIRECTIONAL

Mic head 8.5x14.5mm. Freq. resp. 40Hz-15kHz. Max input: 122dB SPL. Dynamic range: 90+dB.

ITEM	DESCRIPTION	PRICE
ECM44B	Omnidirectional lapel mic, XLR	CALL
ECM44BC	Omnidirectional for Sony 4-pin wireless	CALL
ECM44BMP	Omnidirectional for Sony 1/8" mini-lock wireless	CALL
ADR44B-12PK	Replacement windscreen, pack of 12	CALL
SADH44B-10PK	Replacement tie clip for ECM44, pack of 10	CALL

SONY ECM55B OMNIDIRECTIONAL Mic head 10.6x21mm. Freq. resp. 30Hz-18kHz. max input: 126dB SPL. Dynamic range: 98+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM55B	Omnidirectional lapel mic	CALL
SADH55B-10PK	Replacement tie clip for ECM55B, pack of 10	CALL

SONY ECM77B ULTRA MINI OMNIDIRECTIONAL Mic head 5.6x12.55mm. Freq. resp. 40Hz-20kHz. Max input: 120dB SPL. Dynamic range: 90+dB. Connector: XLR.

ITEM	DESCRIPTION	PRICE
ECM77B	Mini Omnidirectional lapel mic	CALL
ECM77BC/9X	Mini Omnidirectional for Sony 4-pin wireless	CALL
ADR77B-6PK	Replacement windscreen, pack of 6	CALL
SADH77B-10PK	Replacement tie clip for ECM77B, pack of 10	CALL

Looking for more from these brands?
Visit fullcompass.com

beyerdynamic)))
AUDIX MICROPHONES TRAM MICROPHONES
G A L A X Y A U D I O
SAMSON
LECTROSONICS®



Follow us!

Para asistencia en Español llame al 800-356-5844 x1164 y x1178