

















































gels or lamps to replace, Source Four LEDs have the highest lumens per watt of any LED spotlight while yielding a 50,000-hour life. Use the same shutter barrel, accessories, and lenses as existing Source Four fixtures (Enhanced Definition lens tubes suggested). Feature 60 Luxeon® Rebel LED emitters and come in daylight, tungsten and Lustr+ configurations. x7 color system offers brighter light and larger spectrum of colors. Series 2 Lustr adds lime-green for better conventional Source Four fixture color matching thru increased lumen output, along with more red LED emitters giving stronger ambers, straws and pinks. Available with the LED light engine only or the light engine w/shutter assembly.

0 0		
ITEM	DESCRIPTION	PRICE
S4LEDDS-0-X	. Daylight 5600K LED fixture, body and shutter	
	assembly, black	. 1995.00
S4LEDD-0-X	. Daylight 5600K LED fixture, body only, black	. 1950.00
S4LEDTS-0-X	. Tungsten 3000K LED fixture, body and shutter	
	assembly, black	. 1995.00
S4LEDT-0-X	. Tungsten 3000K LED fixture, body only, black	
S4LEDLS-0-X	. Lustr+ x7 color system LED fixture,	
	body and shutter assembly, black	. 1995.00
S4LEDL-0-X	. Lustr+ x7 color system LED fixture, body only, black	. 1950.00
	. Series 2 Lustr color system LED fixture,	
	body and shutter assembly, black	. 2395.00
S4LEDS2L-0-X	. Series 2 Lustr color system LED fixture, body only, black	
	. Soft focus filter	
419EDLT	Enhanced Definition lens tube, 19 degree	215.60
426EDLT	Enhanced Definition lens tube, 26 degree	215.60
436EDLT	Enhanced Definition lens tube, 36 degree	215.60
LED50LT	. S4LED Specific 50 degree Lens Tube	254.10
S4LED-SWD6	. Smooth-wash diffuser for 6.25 gel frame	27.00
S4LED-SWD7	. Smooth-wash diffuser for 7.5 gel frame	28.00
S4LED-SWD12	. Smooth-wash diffuser for 10° lens tube	60.00
S4LED-SWD14	. Smooth-wash diffuser for 5° lens tube	95.00



ETC DESIRE™ LED LIGHT FIXTURES The Desire D40 contains 40 Luxeon® Rebel LED emitters comprised of 7 different colors and features a user interface on the rear. It can also be controlled using any RDMenabled controller. Offers 5 different DMXs: Calibrated RGB, Calibrated HSI, Calibrated HSIC, Direct, and Studio. D40XT fixtures share the 40 Series' features but adds waterproof and weatherproof housings.

ITEM	DESCRIPTION	PRICE
SELD40DI-OA-X	D40 Studio Daylight fixture with 5600K LEDs	
	for cool white output	634.10
	. D40 Fire x7 color fixture with extra-high red brightness	400.10
SELD40HI-0A-X	D40 Studio HD fixture with warm and cool white LEDs,	
	5 addtional LED colors	
	. D40 Ice x7 color fixture with extra-high blue brightness	
SELD40LI-OA-X	. D40 Lustr+ x7 color fixture with high-intensity white LEDs 1	400.10
SELD40TI-OA-X	D40 Studio Tungsten fixture with 3000K LEDs	
	for warm white output	
	D40 Vivid high-intensity, high-saturation x7 color fixture 1	
SELD40FO-0X	D40XT Fire x7 color fixture with extra-high red brightness 1	599.00
SELD40HO-0X	D40XT Studio HD fixture with warm and cool white LEDs,	
	5 addtitional LED colors	
SELD4010-0X	.D40XT Ice x7 color fixture with extra-high blue brightness 1	599.00
SELD40LO-0X	D40XT Lustr+ x7 color fixture with high-intensity white LEDs 1	599.00
SELD40TO-0X	D40XT Studio Tungsten fixture with 3000K LEDs	
	for warm white output	833.00
SELD40VO-0X	D40XT Vivid high-intensity, high-saturation x7 color fixture 1	599.00
SELD40FI-0A-X	. D60 Fire x7 color fixture with extra-high red brightness	400.10



ETC SOURCE FOUR LED CYC LENS ADAPTER

- · Highly tuned optics
- · 2:1 luminaire spacing
- · Smooth, homogenized distribution
- · Works with any Source Four LED array
- · Lights subtly-painted drops with x7 color
- · Rugged die-cast aluminum construction
- · Heat- and impact-resistant polycarbonate lenses

· Works within the footprint of traditional incandescent cyc lights

ITEM	DESCRIPTION	PRICE
S4LEDCYC	CYC lens adapter for S4 fixture	331.80


PHILIPS



PHILIPS COLOR KINETICS COLORBLAST TRX THEATRICAL WASH LIGHT







- Red, Green, Blue, Amber, and White LEDs
- 4 DMX modes including 16-bit color control
- Wide variety of optional beam shaping accessories

ITEM	DESCRIPTION	PRICE
116-000029-00	Color Blast TRX	779.00
	Top hat	
120-000009-04	Half top hat	39.00
120-000015-04	Egg crate louvers	101.00
120-000019-04	Barndoors	105.00
120-000025-00	Horizontal spread lens 36°/50°	62.00
	Horizontal/vertical spread lens 40°/40°	








PHILIPS COLOR KINETICS **ICOLOR FLEX MX GEN2**

- Standard 50-node strands can be field-shortened
- Custom lengths of 5 to 60 nodes are also available
- Flexible strands of 50, individually addressable, full-color LED nodes
- · Strands can be mounted directly to a surface like traditional string lights
- Fully sealed for maximum fixture life and IP66-rated for outdoor applications • Each node produces full-color, daylight-visible light output of up to 2.3 candela
- High light output affords superior long-distance viewing for architectural accent and perimeter lighting, large-scale signage and building-covering video displays

and permitter infinitely raise course signage and surraing covering video dioplays		
ITEM	DESCRIPTION	PRICE
101-000076-0	4 4" on-center node with Clear Dome Lens, in white	488.00
101-000076-0	6 As above, in black	488.00
101-000076-0	O 4" on-center node with Translucent Dome Lens, in white	488.00
101-000076-0	2 As above, in black	488.00
101-000076-0	5 12" on-center node with Clear Dome Lens, in white	488.00
101-000076-0	7 As above, in black	488.00

PHILIPS COLOR KINETICS





- · Tailor light output to specific applications
- Individually addressable 6" segments accommodate fine control
- · Adjustable dimming curves and transition speeds
- Delivers approximately 2000 lumens of color-changing light per foot • Control options for architectural, entertainment and portable applications


ITEM	DESCRIPTION	PRICE
116-000032-01	4' RGBW LED fixture, 10° beam angle	3430.00
116-000030-01	As above, 18° beam angle	3430.00
116-000033-01	6' RGBW LED fixture, 10° beam angle	5000.00
116-000031-01	As above, 18° beam angle	5000.00
116-000032-00	4' RGBA LED fixture, 10° beam angle	3430.00
116-000030-00	As above, 18° beam angle	3430.00
116-000033-00	6' RGBA LED fixture, 10° beam angle	5000.00
116-000031-00	As above, 18° beam angle	5000.00

















Graph represents R08 spectral distribution.

The new Series 2™

Better color. Now twice as bright.











































ACCESSORIES















AMERICAN DJ DOTZ FLOOD **RGB WASH/BLINDER FIXTURE**

- 6 DMX Modes
- IEC AC In/Out
- · Electronic Dimming
- Barn doors adjust 60° beam angle
- Compatible with ADJ UC3 series controllers
- (6) 30W COB (Chip On Board)Tri RGB LEDs
- · Wireless control via DF FC foot pedal controller
- Built-in Programs, 3-zone pixel control, 100% **Electronic Dimming**

ITEM	DESCRIPTION	PRICE
DOTZ-FLOOD	.RGB Wash/Blinder fixture	549.99
DF-FC	.Foot pedal controller	99.99



AMERICAN DJ DOTZ BAR 1.4 LED WASH BAR WITH BLINDER

- DMX-512 protocol
- 0-100% Electronic Dimming
- Built-in Microphone and preset colors
- 3-, 6-, 8-, 12- & 17-Channel DMX Modes Great for Stage Lighting, Bands or Night Clubs
- 4 Operating Modes Sound-Activated, Auto Run, Built-In Programs or DMX Control
- 1x4 COB (Chip On Board) TRI LED high-output linear wash bar

	m5n output micui n	don bui
DESCRIPTION	l	PRICE
Wooh/Dlindor	LED fixture	100.00


AMERICAN DJ ULTRA BAR 6 INDOOR LINEAR LED FIXTURE

• LED pulse & strobe

ITEM

DOTZ-BAR-1.4

- 3-Section Pixel control
- 35 built-in Color Macros
- Ultra bright TRI RGB LEDs
- Variable RGB color mixing
- 0-100% Electronic Dimming
- 22.5" (0.5 m) indoor linear bar w/ (6) 3W • 3-, 5-, 6-, 7-, 8-, 9- or 11-channel DMX modes
- Auto Run, Program Mode, Sound-Activated, RGB Dimmer, Static Color and DMX-512 operational modes
- Includes mounting brackets for wall-mounting





QUICK ALIGN END

IINIDIIF

SIT-FLAT DESIGN

ITEM	DESCRIPTION	PRICE
ULTRA-BAR-6	Indoor linear LED fixture	149.99



AMERICAN DJ MEGA TRIPAR PROFILE LOW PROFILE LED WASH

- Flicker free
- 40° beam angle
- Power Draw: 16W max
- 7 DMX channel modes
- 0-100% electronic dimming
- Slim par with(5) 3W TRI LEDs (RGB) · Standalone or master/slave Configuration
- · "Sit-flat" design: Power and DMX I/O designed
- so unit can be set flat on ground or inside truss
- Includes a scissor yoke (hanging bracket) to hang on truss, mount on a wall or set on the ground
- · Digital DMX display with 4-button menu for easy navigation
- 5 operational modes: Auto mode and sound active feature with built-in programs

ITEM Mega-tripar-profile..... DESCRIPTION Low profile LED wash light

NEW! AMERICAN DJ **BATTERY-POWERED** WIFLY LED WASH BAR

- Flicker-free
- 120° Beam angle
- 35 built-in Color Macros
- Includes built-in ADJ WiFly Wireless • 3 DMX Channel Modes and 3 operational modes
- 15 x 1W RGB LEDs (5 x Red, 5 x Green and 5 x Blue LED's)
- Rechargeable Lithium battery powered ultra-bright indoor linear fixture

DESCRIPTION PRICE WIFLY-WASH-BAR.... . Rechargeable Battery-Powered RGB LED Wash Bar ..



AMERICAN DJ WIFLY BAR QA5

- 25° beam angle
- · Battery-powered LED bar
- 6 DMX channel modes (4, 6, 7, 8, 9, 22); 6 operational modes
- WiFly Transceiver with wireless DMX built-in (5) 5W QUAD LEDs (4-in-1) RGBA
- Rechargeable lithium battery, runs 6 hours on full charge
- 4-button LED display on rear panel for DMX addressing

ITEM	DESCRIPTION	PRICE
WIFLY-BAR-QA5	Battery-powered RGBA LED bar with wireless	DMX329.99



- 40° beam angle
- · Low-profile design
- (5) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- · In/out IEC connections to daisy chain power
- · 44 color macros, color strobe effect and smooth RGB mixing • 4-button LED DMX display on rear panel; 8 DMX channel modes
- · 6 operational modes: manual color, color change, color fade, auto mode, sound active and DMX-512

,		
ITEM	DESCRIPTION	PRICE
FLAT-PAR-QA5	DMX LED slim par (RGBA)	179.99
FLAT DAD OWIJE	DMY LED clim par (RCRW)	170 00



AMERICAN DJ FLAT PAR QUAD 12

- 40° beam angle
- · Low-profile design
- (12) 5W QUAD LEDs (4-in-1 RGBA or RGBW)
- In/out IEC connections to daisy chain power
- 44 color macros, color strobe effect and smooth RGB mixing
- 4-button LED DMX display on rear panel; 8 DMX channel modes
- 6 operational modes: manual color, color change, color fade, auto, sound active and DMX-512

ITEM	DESCRIPTION	PRICE
FI AT-PAR-QA12	DMX LED slim par (RGBA)	299.99
	DMX LED slim par (RGBW)	



EMOTIONS WITH PURE LIGHTING EXCITEMENT



LED SPOTS



PRO \$899.99



INNO SPOT PRO PEARL \$899.99

MOBILE LED SPOTS



SPOT \$299.99



INNO POCKET SPOT PEARL \$299.99

LED BEAMS



VIZI BEAM HYBRID 2R \$1499.99



\$799.99

LED PARS



FLAT PAR TW5 \$179.99



FLAT PAR TWI2 \$249.99

\$149.99

COB LED



DOTZ BRICK 3.3 \$499.99



DOTZ BAR I.4 \$199.99



UV LED



\$299.99

800-356-5844 fullcompass.com



















































AMERICAN DJ MATRIX BEAM LED

- (25) 3W warm white Cree LEDs in a 5x5 panel
- · Latch system links multiple fixtures together
- · Designed for use as blinder effect or matrix chase effect
- · Built-in light chases, create characters in light via DMX
- 3 operation modes: auto (program run), sound active and DMX512 mode
- 4-button LED DMX display on rear panel; 3 DMX channel modes

ITEM	DESCRIPTION	PRICE
MATRIX-BEAM-LED	DMX 5x5 LED panel	699.99



AMERICAN DJ WIFLY PAR QA5

- 25° beam angle
- Rechargeable lithium battery
- (5) 5W QUAD LEDs (4-in-1) RGBA
- 4-button LED DMX display on rear panel
- · WiFly Transceiver wireless DMX onboard
- · Battery-powered flat par with wireless DMX
- · 8 DMX Channel modes; 6 Operational modes
- Battery-powered flat par with wireless DMX

. Battery powered par can with wireless DMX

AMERICAN DJ WIFLY QA5 IP LED PAR WITH WIFLY TRANSMITTER

- IP65, Outdoor-rated par fixture with 5 x 5W Quad RGBA LEDs
- 40° Beam angle

WIFLY-PAR-QA5......

- · Flicker-free operation
- 64 built-in Color Macros
- · Creates no RGBA shadows
- Electronic Dimming: 0 100% • Linkable via 3-pin IP cable (In/Out)
- 5 DMX Channel modes and 8 Operational modes

DESCRIPTION ITFM .Quad LED Par with WiFLY Transmitter... WIFLY-QA5-IP



AMERICAN DJ **FLAT PAR TRI 7X**

- 40° beam angle
- · 32 built-in color macros
- TRI LED (3-in-1) projects no RGB shadows
- Ultra-bright slim par can with (7) 3W TRI LEDs • 4-button LED DMX display on rear panel; 7 DMX channel modes
- 6 operation modes: manual color model, color change mode,
- · color fade mode, auto mode, sound active mode and DMX512 mode

ITEM	DESCRIPTION	PRICE
FLAT-PAR-TRI7X	.DMX 3W TRI-LED slim par can	. 169.99
ADJ-LED-RC	Remote control	19.99



DOTZ TPAR SYSTEM

- 90° Beam angle
- 3-Pin DMX In/Out
- Strobe and Pulse LED Effect
- Pixel Flip option changes pixel orientation
- 5 DMX Channel modes: 3, 5, 9, 12 and 18 channels
- Foot Controller Features: Mode, Black Out and Program Change
- COB Technology produces powerful, smooth RGB color mixing
- · 5 selectable Dimming Curves and 4 Operational modes

DESCRIPTION PRICE DOTZ-TPAR-SYSTEM. .COB RGB Tri LED Par Wash System



AMERICAN DJ FLASHBACK 4 PORTABLE LED **BOX PANEL EFFECTS FIXTURE**


- · Set of two 4-bank lighting fixtures that fold up into a transportable hard case
- 45° Beam Angle
- Sound Active knob adjustment on rear
- · LED pulse and strobe effect control on rear
- Power Draw: 23W total (All LEDs @ Full On)
- Stand mountable (tripod stands not included)
- LED version of an old school Boarder Can effect
- 2 Operational modes: Auto Run or Sound Active

ITEM	DESCRIPTION	PRICE
FLASHBACK-4	.RGBA LED Box Panel	149.99



ALTMAN PHOENIX LED PROFILE SPOT Lighting, Inc. ELLIPSOIDAL This die-cast

aluminum/sheet metal LED fixture features a 360° rotating barrel, locking shutter, heat resistant Plano-Convex lensing (in varying degrees), and tool-free swappable barrels. The color frame, spring clip safety cable, 3' powerCON™ cable and C-Clamp are



ITEM	DESCRIPTION	PRICE
PHX2-RGBA-19-B	. Phoenix 250W RGBA LED Profile Spot Ellipsoidal, with 19° lens	1462.50
PHX2-RGBW-19-B	.As above, with RGBW LED	1575.00
PHX2-3000K-19-B	.As above, with 3000K LED	1687.50
PHX2-5600K-19-B	.As above, with 5600K LED	1687.50



APOLLO DESIGN AVERE™ 4UV COMPACT UV LED FIXTURE

- Output: 4.500mW
- Power Consumption: 18.5W
- Radiated Wavelength: 365nm
- 5 High Efficacy UV LED Emitters
- Weatherproof and Fanless Cooling Design
- Machined Aircraft-Grade Black Anodized Aluminum Housing


• 22° Standard Beam TIR Lenses with UV Resistant Polycarbonate ITFM DESCRIPTION PRICE AVERE-4UV.....Compact outdoor UV.....















APOLLO DESIGN AVERE™ 5 LED PAR-TYPE FIXTURE

- 110V or 240V Compliant
- 12° Standard Beam Angle
- Color Rendering Index: 93
- Standard 110V Configuration
- 3000 Kelvin Color Temperature
- 3' Power Cable with Edison Connector
- Turned, Milled and Anodized Aluminum Body

• Includes 20W, 1070 lumens, 50,000-hr Osram Ultra LED HD PAR 38 lamp

DESCRIPTION ITEM PRICELED PAR-type fixture... AC-LED-AVID5.....







- Variable electronic dimming & strobe
- · Built-in color & chase macros via DMX
- 5 user-selectable 32-bit dimming curves
- Built-in automated programs via master/slave
- Flicker-free constant-current 400hz LED driver
- (18) 15W (6 x 2.5w) RGBAW+UV 6-in-1 LEDs
- RGBAW+UV color-mixing ability in standalone mode

DESCRIPTION PRICE ITFM .(18) 15W RGBAW+UV LED Fixture...... ROKBOX-FXA 599 99





· Variable electronic dimming and strobe · Built-in color and chase macros via DMX

• Built-in automated programs via master/slave

- · RGBW color mixing ability in standalone mode
- 4-button DMX LED display

ITFM **DESCRIPTION** PRICE . LED wash light (RGBW). **ROK-BOX**





- 25°-45° zoom PAR fixture
- Long-life LEDs (rated at 60,000hrs)
- (14) 10W RGBW quad-color TianXin LEDs
- 7 DMX modes, including RGBW and HSV color mixing modes
- Rugged all-aluminum chassis with dual mounting yokes and handle
- User-selectable DMX channel modes, dimming, color temp, power options, color display and more

DESCRIPTION PRICE PUCK-PRO-ZOOM...... ..LED par can with zoom



BLIZZARD LIGHTING COBZILLA™ RGB 5X5 MATRIX PANEL

- · Rugged and well-built
- Sound Active via DMX
- 3-pin & 5-pin DMX I/O
- Lux: 12,100 @ 1m, 4,600 @ 2m
- powerConTM Compatible Power I/O
- · Variable electronic strobe and dimmer
- 1/2-turn coffin-lock fixture link brackets
- Easy to use 4 button LCD Control Panel
- Built-in automated programs via master/slave
- 25 x 9W 3-in-1individually controllable COB (Chip-On Board) RGB LED's

DESCRIPTION COBZILLA-RGB. ...COB RGB LED Pixel Matrix



BLIZZARD LIGHTING SKYBOX EXA LED PAR

- RGBAW + UV Color Mixing
- 7x15W 6-in-1 LEDs w/ 100,000 hrs life
- 395-400nM ultraviolet light output
- 2.4Ghz built-in wireless DMX receiver
- IntelionTM lithium-ion battery system
- 5 user-selectable 32-bit dimming curves
- Beam Angle: 25° optics standard, 26° beam, 30° field

DESCRIPTION

.6x1 RGBAW+UV LED Par fixture.



BLIZZARD LIGHTING HIGHBEAM™ RGBW LED **BEAM PAR-TYPE FIXTURE**

SKYBOX-EXA..

- Built-in color and chase macros via DMX
- 3-pin male input, 3-pin female output
- RGBW color mixing ability in standalone mode
- Super-quiet variable-speed internal fan cooling
- Flicker-free constant-current 400hz LED driver
- powerConTM compatible AC power In/Out connectors
- 4 DMX control modes as well as built-in sound active programs
- Color mixing and 4-zone pixel control via 7 x 15W OSRAM® RGBW 4-in-1 LEDs

ITEM DESCRIPTION

PRICE .. Indoor RGBW LED PAR-Type Fixture .



- 4/5/9/10 DMX channels
- 23° beam angle, 26° field angle
- LED display with 4-button control panel
- (36) 3W RGBAW Edison® Edixeon™ LEDs
- RGBAW color mixing with or without DMX control
- · Master/slave, standalone and sound active modes

· Built-in color macros and automated programs via DMX

DESCRIPTION PRICE ROCKLITE-RGBAW.....LED wash light (RGBAW)

























PRICE

499 99


























For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central























































BLIZZARD LIGHTING SNOWBANK™ RGB **BLINDER/LED PIXEL EFFECT**

- 45° Beam Angle
- 400Hz flicker-free LED drivers
- 3-pin male input, 3-pin female output
- · Easy to use LED digital control panel
- Protocol: USITT DMX-512 (26/7 Channels)
- Standalone, master/slave, and DMX modes
- · Dual mounting yoke allows flexibility in positioning
- RGB color mixing via 32 x 3W Tri-Color (3-in-1) LEDs
- Built-in automated and sound activated programs via master/slave

ITEM	DESCRIPTION	PRICE
SNOWBANK	RGB Blinder/LED Pixel Effect	. 399.99

BLIZZARD LIGHTING PUCK Q12 FLAT LED PAR CAN

- Selectable 4 or 7 DMX channels
- Variable electronic strobe and dimmer
- All metal case with dual mounting yokes
- Linkable with all other Blizzard Puck par cans
- (12) 10W Quad-Color (RGBW or RGBA) LEDs
- Full RGBW or RGBA color mixing plus 15 built-in colors in standalone, master/slave and DMX modes

ITEM	DESCRIPTION		PRICE
PUCK-Q12W	Quad-color flat par can ((RGBW)	279.99
PUCK-Q12/A	.Quad-color flat par can ((RGBA)	279.99

darklight

DARKLIGHT PRECISION DMX MICRO RGB FLOOD

- IP65 rating
- 7-channel DMX control
- 25° lens angle, 50,000hr lamp life
- · DMX address and configuration stored in EEPROM
- World's smallest DMX512 controllable theatrical floodlight
- Full color control via DMX512; DarkBox Programmer (sold separately) required to change DMX from default address 1
- Built-in functions: flicker, strobe, blink, fade, color change, master dimming, color macro

ITEM	DESCRIPTION	PRICE
PRECISION-DMX	Miniature DMX RGB flood	114.00
DARKBOX-PROGRAMMER	DMX addressing tool	95.00



PRECISION-DMX COMPACT SIZE

DARKLIGHT GANTOM IQ **MICRO IMAGE PROJECTOR**

- IP65 rating
- · Dual-polarity input
- · Smallest gobo projector on the market
- Zoom- and focus-adjustable with sliding lenses
- 2-wire dimming using PWM input (10%-100%)
- Supports full-color, user-made 3/4" patterns • 25°-40° lens angle, 50,000hr lamp life

DESCRIPTION Miniature gobo projector.....



PRECISION Z HIGH POWER MICRO SPOT OR FLOOD

- · Dual polarity input
- IP68 rating, submersible to 3ft
- 2-wire dimming using PWM input (10%-100%)
- Equivalent to traditional 20W halogen fixtures PRECISION-Z-SPOT
- 95% energy savings compared to 20W halogen lamp • Lens angle is 15° for spot and 120° for flood, 50,000hr lamp life
- Spot is available in red, green, blue, amber, cool white, warm white and ultraviolet

PRECISION-Z-FLOOD

ITEM	DESCRIPTION	PRICE
PRECISION-Z-SPOT	Miniature spot	47.50
	Miniature flood	

DARKLIGHT GANTOM DMX MICRO FLOOD

- IP65 rating
- · Flicker-free and video-ready
- 20° lens angle, 50,000hr lamp life
- Integrates into any existing DMX universe
- . DMX address and configuration stored in EEPROM
- Available in RGBW (4-channel) or dynamic white (2-channel)
- Quad-chip LED and matching optics for homogenous color output

ITEM	DESCRIPTION	PRICE
GANTOM-DMX	.Miniature DMX flood	180.50



DARKLIGHT DARKBOX CONTROLLERS

Compact and versatile controllers. The Flicker and DMX Micro versions offer simple operation,







COMPACT SIZE

DARKBOX-PROGRAMMER

GANTOM-DMX COMPACT SIZE

LED indicators, can drive multiple fixtures in sync and make any 12V LED flicker, strobe, blink, surge, pulsate, or dim. The Flicker can also generate patterns and the DMX Micro has fully-tunable speed and brightness for any mode. The Programmer is compatible with all DMX devices and functions as a DMX addresser and configurator. It even has a built-in 224-channel single scene output and DMX controller for use with static effects.

ITEM	DESCRIPTION	PRICE
DARKBOX-FLICKER	LED dimmer and pattern generator	57.00
DARKBOX-DMX-MICRO	Multi-functional LED dimmer	66.50
DARKBOX-PROGRAMMER	DMX addresser and configurator	95.00



- DMX control with built-in effect macros
- 1x8 30W Chip-On-Board (COB) RGB LED Batten

IIEM	DESCRIPTION	PRICE
CUEPIX-BATTEN-TRI	1x8 COB RGB LED batten fixture .	649.99









CHEPIX-PAR-150



ELATION EPAR TRI LED PAR CAN

- (14) 3W Tri RGB LEDs
- 10° standard beam angle
- · Dual-yoke floor stand
- No colored shadows
- · Flicker-free operation
- Long life 50,000hr LEDs
- 4-digit LED display
- 0-100% electronic dimming

DESCRIPTION EPAR-TRILED par can.





• IR Remote Control Option

- Variable / Selectable Dimming Curves
- 3- & 5-Pin DMX in/out -Powercon in/out
- · Pixel Control of each Chip-On-Board (COB) module





DESCRIPTION

ELATION LEVEL Q7 LED FLAT PAR FIXTURE

- Weighs 10lbs
- 14,700 lux @ 2.5m
- 3- and 5-pin DMX
- Neutrik® PowerCon in/out
- (7) 15W RGBW OSRAM Quad LEDs
- · High-output and professional grade
- PRICE .Quad LED par fixture ..





COMPUTER AV





















ELATION EPAR QA LED PAR CAN

PRICE

- (14) 5W Quad RGBA LEDs
- 10° standard beam angle
- Dual-yoke floor stand
- · No colored shadows
- Flicker-free operation
- Long life 50,000hr LEDs
- 0-100% electronic dimming
- 4-digit LED display
- 1/2/3/4/6/7 DMX channel operation mode

ITEM DESCRIPTION PRICE EPAR-QA LED par can.. .449.99



ELATION VOLT Q5 WEATHERPROOF LED SPOT

- 16.000 lux @ 8ft
- (5) 15W RGBW LEDs • Built-in wireless DMX receiver
- Excellent color mixing and tight beam
- Weather-resistant housing with IP65 rating
- Rechargeable battery with charging station
- Compact and solid design with built-in handle
- 4-button LED control panel for easy programming

DESCRIPTION PRICE ITEM VOLT-05 .IP65 rated LED spot.....



SIX-PAR-300-IF

ELATION SIX PAR FAMILY

- 6-Color RGBAW+UV 12W per node
- 7x12W/12x12W/18x12W
- IP 65 Rated LED Series
- Variable/Selectable Dimming Curves
- IR Remote Control Option
- IP Power/Data linking cables

ITEM	DESCRIPTION	PRICE
SIX-PAR-100-IP	6-color 80W IP 65 rated LED	449.99
SIX-PAR-200-IP	6-color 120W IP 65 rated LED	549.99
SIX-PAR-300-IP	6-color 200W IP 65 rated LED	699.99

ELATION OPTI QUAD PAR QUAD LED PAR FIXTURE

· Flicker free

ITEM

LEVEL-Q7

- Power con in/out
- 18 x 5W quad RGBW LEDs
- · Quad color technology
- Smooth dimming control
- 10° standard beam angle
- Power Consumption: 140W max
- Strobe effect (1-18 flashes per second)
- DMX-512- controllable via 6 DMX modes
- Split yoke bracket: floor-stand or mount
- 3-pin and 5-pin XLR data input and output





ELATION FLEX PIXEL WP LED PIXEL TAPE

- · Flex Pixel IR allows for standalone control
- 10' flexible LED pixel tape with waterproof cover
- Mountable to any surface with optional Flex IP Clip Kit

FLEX-PIXEL-5VPSU5V standard power supply unit.....

- 15mmW x 5mmH x 3mtrL (not including in/out cables)
- Flex Pixel 5VPSU power supply required for each section of tape
- Flex Pixel Driver offers up to 2 tapes and up to 432 DMX channels of control

• (72) RGB SMI	D tri color LED pixels (216 ch.)	per tape spaced on 40mm centers
ITEM	DESCRIPTION	PRICE

FLEX-PIXEL-WP	LED pixel tape, power supply not included	119.99
FLEX-IP-CLIP-KIT	Mounting clip to mount to any surface	6.68
FLEX-PIXEL-DRIVER	DMX driver	74.99
ELEA DIAEL IDG	ID receiver and remete	27.00

















































ELATION ARENA PAR ZOOM WITH QUAD COLOR

- Variable Strobe Macros
- 10°- 60° Motorized Zoom
- Selectable Dimming Curves
- 220W Max Power Consumption
- Flicker Free Operation for TV and film
- Integrated Dual Rigging Yoke / Floor Stand
- 1000W Comparable Output LED PAR 64 • (19) 10W Quad Color (RGBW) LEDs
- Power Link Up To (4) Units at 120V

(8) Units at 230V







ELATION PROTRON LED STROBE LIGHT

- (576) 6500K white LEDs
- 28,000 lumens
- 120° beam angle
- · IP65 rugged die cast case
- DMX and RDM control
- Full ON mode, bursts and linear dimming
- IP Rated PowerCon In and Thru connections
- 100-240V AC Auto Sensing, 150W





- 20° standard beam lens
- 5 variable dimming curve modes
- Dual voke / floor stand
- · Multi-unit power linking
- Rugged die-cast aluminum exterior
- · Flicker-free operation for TV and FILM
- 200W max power consumption
- Electronic strobe and dimming (0-100%)
- · Multi-voltage universal auto switching power supply (110-250v)
- (18) 10W Multi-Chip Variable White (Cool, Warm, and Amber) LEDs

ITEM	DESCRIPTION	PRICE
OPTI-TRI-WHITE-II	Tri White™ LED fixture	699.99

ELATION ARENA Q7 ZOOM™

- (7) 10W QUAD Color LEDs
- 10° 60° motorized zoom
- Multi-unit power linking
- Variable strobe macros
- Selectable dimming curves
- 4-button touch-control panel
- Flicker-free operation for TV and FILM
- Integrated dual rigging yoke / floor stand • 5-pin DMX and powerCON I/O connections
- Multi-voltage universal auto switching power supply (100-240v)

	em acco emission Stemes celled (con acco)	
ITEM	DESCRIPTION	PRICE
ARENA-Q7-Z00M	7x10W RGBW Par-type fixture with zoom	899.99



MARTIN RUSH STROBE 1 5X5

- 3-pin and 5-pin XLR
- 5x5 matrix panel
- · DMX or sound activated
- (25) 5W Cree cool white LEDs
- · Individually controllable LEDs
- Preprogrammed macros (effects, letters, numbers, etc.)
- Linkable integrated horizontal and vertical locking
- · Multiple DMX control options and standalone mode

ITEM	DESCRIPTION	PRICE
RUSH-STROBE	LED strobe/blinder	995.00



MARTIN RUSH PAR 1 RGBW

- 2 DMX channel modes (5/7)
- 20° fixed beam angle
- Premixed RGBW color mixing
- · Electronic dimming and strobe
- (7) 10W RGBW Cree MC-E LEDs
- DMX and standalone control options
- · Flexible bracket for floor or truss mounting

PRICE RUSH-PAR-1 LED par can.

MARTIN RUSH PAR 2 RGBW ZOOM


- 5-pin XLR
- 10° to 60° Zoom
- Bright LED PAR Can
- (12) 10 W RGBW LEDs
- Electronic dimming and strobe
- Temperature-controlled fan cooling
- Flexible bracket floor or truss-mounted
- · Single-lens wash with fully premixed color · Bullet points features and benefits

ITEM	DESCRIPTION		PRICE	
RUSH-PAR2-RGBW-ZOOM	LED PAR Can with	12 RGBW LEDs	 895.00	



ROSCO MIRO CUBE™ FAMILY

These 48W LED wash lights put more than 3000 lumens into a compact and portable 4" cube. The rugged, geometric design is perfect for museums, track-light systems,



- Bolted yoke design allows units to be easily ganged
- Flicker-free dimming through DMX (8- or 16-bit resolution)
- · Plugs directly into wall anywhere in the world, adjusting automatically to 90-240VAC 50-60Hz
- More than 40 units can be powered from a single 20A circuit LCD control panel
- Full color mixing, tunable white, or black light versions (in black or white finish)

r un color mining,	tanable winte, or black inglit verbions (in black or	winte minorij
ITEM	DESCRIPTION	PRICE
MIROCUBE-4C	Color-mixing LED wash	820.31
MIROCUBE-WNC	Tunable white LED wash	820.31
MIROCUBE-UV	Blacklight LED wash	1257.81









