

Blackmagicdesign



**BLACKMAGIC DESIGN CINEMA CAMERA**

This digital film camera features a machined aluminum chassis, interchangeable optics, high resolution 2.5K sensor, 13 stops of dynamic range, built-in SSD recorder, EF-compatible lens mount and 12-bit RAW uncompressed and compressed ProRes and DNxHD file formats. Includes sunshield, power supply, carry strap, UltraScope waveform monitoring software and a full version of DaVinci Resolve Software for Mac OS X and Windows.



Optional camera handles aid shooting in locations where you need to move around quickly. They are machined from solid aluminum for strength, and feature solid rubber hand grips.

| ITEM                 | DESCRIPTION  | PRICE   |
|----------------------|--|---------|
| CINEMA-CAMERA        | Digital camera body, 2.5K sensor, SSD recorder, no lens    | 2995.00 |
| CINEMA-CAMERA-HANDLE | Easy grip handles for Cinema Camera                        | 185.25  |
| OWCSSDEX6G240        | 240GB Mercury Electra 6G 2.5" Serial-ATA Solid State drive | 219.00  |

**CANON EF LENSES**

| ITEM     | DESCRIPTION              | PRICE   |
|----------|--------------------------|---------|
| 0344B002 | EF 24-105mm f/4L IS USM  | 1149.00 |
| 5175B002 | EF 24-70mm f/2.8L II USM | 2299.00 |
| 1910B002 | EF 16-35mm f2.8L II USM  | 1699.00 |
| 2512A002 | EF 35mm f/1.4L USM       | 1479.00 |
| 1257B002 | EF 50mm f/1.2L USM       | 1619.00 |
| 1056B002 | EF 85mm f/1.2L II USM    | 2199.00 |



5175B002



6569B001



**CANON CINEMA LENSES (EF MOUNT)**

| ITEM     | DESCRIPTION     | PRICE    |
|----------|-----------------|----------|
| 6569B001 | CN-E24 T1.5 L F | 5220.00  |
| 6570B001 | CN-E50 T1.3 L F | 4950.00  |
| 6571B001 | CN-E85 T1.3 L F | 4950.00  |
| 6141B002 | CN-E14.5-60mm   | 42750.00 |

**OWC SSD DRIVES FOR BLM CINEMA CAMERA**

| ITEM          | DESCRIPTION           | PRICE  |
|---------------|-----------------------|--------|
| OWCSSDEX6G120 | 120GB 6GB/s SSD drive | 115.00 |
| OWCSSDEX6G240 | 240GB 6GB/s SSD drive | 219.00 |
| OWCSSDEX6G480 | 480GB 6GB/s SSD drive | 459.00 |




G-PROKIT2




G-SFOCDSLR

**CINEMA CAMERA SUPPORT**

| ITEM   | DESCRIPTION  | PRICE   |
|--|--|---------|
| <i>Genus (Support for BLM Cinema Camera and/or Canon Cinema EOS)</i> |  |         |
| GMKBAS   | Basic matte box kit with French flag                     | 622.00  |
| GMKBAS-F   | Basic matte box kit with filter                          | 622.00  |
| GMKSUP   | Superior matte box kit with advanced adapter bars system | 855.00  |
| GMKSUP-F   | Superior matte box kit with filter                       | 855.00  |
| GARD-NK  | Donut adapter ring, 105mm                                | 66.00   |
| GMB-CCP  | Box plate adapter bars system for Cinema EOS cameras     | 354.17  |
| G-SFOCDSLR   | Superior follow focus system                             | 978.00  |
| G-BFOCDLX  | Bravo DLX follow focus system                            | 711.00  |
| G-PROMOKIT2  | Video shoulder mount kit with mo bars system             | 1445.00 |
| G-PROKIT2  | Video shoulder mount kit with standard handle grips      | 1011.00 |
| G-SHERPA-K1  | Sherpa shoulder mount kit                                | 3093.12 |



A-BOX-BMC



BMC-KIT-PRO

| ITEM   | DESCRIPTION   | PRICE   |
|--|---|---------|
| <i>Wooden Camera (Support for BLM Cinema Camera)</i> |   |         |
| BATTERY-SLIDE  | Mounting system for v-mount, QRC gold mount, and RED/Blueshape style battery plates | 191.04  |
| A-BOX-BMC  | Adapter, XLR male to 1/4" female balanced plugs                                     | 191.04  |
| CAMERA-CAGE-BMC                                      | Camera cage with 1/4-20 and 3/8-16 holes  | 383.04  |
| BMC-KIT-ADVANCED                                     | Camera cage, mini baseplate, NATO handle kit, rod clamp and (2) 15mm rods           | 986.88  |
| BMC-KIT-PRO  | As above, with battery slide  | 1177.92 |



Visit [fullcompass.com](http://fullcompass.com) today!

For expert advice - call: 800-356-5844

M-F: 9:00-5:30 Central



AUDIO



MUSIC



COMPUTER AV



VIDEO



LIGHTS



ACCESSORIES



# Canon

## CANON CINEMA EOS C100

This camera unites the technology of Canon Super 35mm CMOS sensors, DIGIC DV III image processing and EF lens compatibility in a smaller, lighter body. It records at 24Mbps 4:2:0 using an AVCHD codec for easy integration into existing production workflows. Features push auto iris and one-shot auto focus as well as iso/gain and shutter buttons on the body.

| ITEM        | DESCRIPTION                              | PRICE   |
|-------------|--|---------|
| EOS-C100    | Cinema EOS camera with EF mount, no lens | 6499.00 |
| TS32GSDHC10 | 32GB Transcend SDHC, Class 10            | 31.73   |
| TS64GSDXC10 | 64GB Transcend SDXC, Class 10            | 66.28   |



LENS NOT INCLUDED



NEW!

LENS NOT INCLUDED

## CANON CINEMA EOS C300

Designed for cinema industry professionals, this camera features a Super 35mm Canon CMOS sensor, DIGIC DV III Image Processor and 50Mbps 4:2:2 codec to provides cinema-quality movie capture. Designed with SMPTE HD production standards, its MPEG-2 codec ensures seamless integration with existing workflows.

| ITEM        | DESCRIPTION                                | PRICE    |
|-------------|--|----------|
| EOS-C300    | Cinema EOS camera with EF mount, no lens   | 15999.00 |
| EOS-C300-PL | As above, with PL mount                    | 15999.00 |
| TS32GCF600  | 32GB Transcend CompactFlash card, 600x     | 113.41   |
| TS64GCF600  | 64GB Transcend CompactFlash card, Class 10 | 214.91   |

## CANON CINEMA EOS C500

Designed for cinema industry professionals, the EOS C500 closely resembles the C300 but adds 4K, Canon RAW and 3G-SDI output. It has a Super 35mm CMOS image sensor, DIGIC DV III Image Processor and 50Mbps 4:2:2 codec as well as uncompressed Canon RAW output for both 4K and 2K delivered to external recording systems (sold separately) via built-in dual 3G-SDI ports. Productions can switch between DCI or Quad-HD source image 4K formats. HD content can be written to dual onboard CF cards simultaneously to provide proxy video for offline NLE systems.

| ITEM        | DESCRIPTION  | PRICE    |
|-------------|--|----------|
| EOS-C500    | 4K Cinema EOS camera with EF mount, no lens          | 25999.00 |
| EOS-C500-PL | As above, with PL mount                              | 25999.00 |
| KI-PRO-QUAD | 4K/Quad HD/2K/HD solid state video recorder (by AJA) | CALL     |
| TS32GCF600  | 32GB Transcend CompactFlash card, 600x               | 113.41   |
| TS64GCF600  | 64GB Transcend CompactFlash card, 600x               | 214.91   |



NEW!

LENS NOT INCLUDED



LENS NOT INCLUDED

NEW!

## CANON CINEMA EOS 1D-C

Canon's first hybrid DSLR to offer onboard 4K motion imaging and Full HD motion imaging on CF cards, in a rugged, ultra-compact form. Features an 18.1-megapixel full frame CMOS image sensor that offers a wide range of image acquisition options, including 4K (4096x2160), HD (1920x1080), or 18-megapixel (5184x3456) still images. The 4K is recorded as Motion JPEG, the HD is recorded as H.264 and the still images are recorded as RAW or JPEG. The EOS-1D C exhibits incredible low-light performance and its small size allows it go where other 4K cameras can not.

| ITEM       | DESCRIPTION   | PRICE    |
|------------|---|----------|
| EOS-1DC    | 4K Cinema EOS hybrid DSLR camera with EF mount, no lens | 11999.00 |
| TS32GCF600 | 32GB Transcend CompactFlash card, 600x                  | 113.41   |
| TS64GCF600 | 64GB Transcend CompactFlash card, 600x                  | 214.91   |



6569B001

## LENSES - EF MOUNT

| ITEM             | DESCRIPTION                   | PRICE    |
|------------------|-------------------------------|----------|
| <i>Canon</i>     |                               |          |
| 6569B001         | CN-E 24mm T1.5 L F            | 5220.00  |
| 6570B001         | CN-E 50mm T1.3 L F            | 4950.00  |
| 6571B001         | CN-E 85mm T1.3 L F            | 4950.00  |
| 7622B002         | CN-E 15.5-47mm zoom T2.8 L S  | 23275.00 |
| 7623B002         | CN-E 30-105mm zoom T2.8 L S   | 23275.00 |
| 6141B002         | CN-E14.5-60mm T2.6 L S        | 42750.00 |
| 6142B002         | CN-E30-300mm T2.95-3.7 L S    | 44650.00 |
| <i>Zeiss</i>     |                               |          |
| DISTAGON-25-2.0  | Distagon T* 2/25 ZE           | 1699.00  |
| DISTAGON-35-1.4  | Distagon T* 1.4/35 ZE         | 1843.00  |
| CP2-50-2.1-EF-FT | Compact Prime CP.2 50/T2.1 T* | 3990.00  |
| CP2-85-2.1-EF-FT | Compact Prime CP.2 85/T2.1 T* | 3990.00  |



7622B001

## LENSES - PL MOUNT

| ITEM             | DESCRIPTION                   | PRICE    |
|------------------|-------------------------------|----------|
| <i>Canon</i>     |                               |          |
| 7622B001         | CN-E 15.5-47mm zoom T2.8 L SP | 23275.00 |
| 7623B001         | CN-E 30-105mm zoom T2.8 L SP  | 23275.00 |
| <i>Zeiss</i>     |                               |          |
| CP2-35-2.1-PL-FT | Compact Prime CP.2 35/T2.1 T* | 3990.00  |
| CP2-50-2.1-PL-FT | Compact Prime CP.2 50/T2.1 T* | 3990.00  |
| CP2-85-2.1-PL-FT | Compact Prime CP.2 85/T2.1 T* | 3990.00  |



Follow us!

Para asistencia en Español llame al 800-356-5844 x1164 y x1178

# CINEMA EOS

LEAVE NO STORY UNTOLD



EOS C100

EOS C300

EOS C500

EOS-1D C

## “LEAVE NO STORY UNTOLD.”

Canon Cinema EOS cameras are built from the ground up to help filmmakers “leave no story untold.” Every detail from sensor design to lens mount to I/O and codec has been re-conceived, engineered and integrated for the unique requirements of the film industry.



800-356-5844  
FULLCOMPASS.COM

PRO AUDIO | VIDEO | AV | LIGHTING  
MUSICAL INSTRUMENTS

# Canon

AUDIO



MUSIC



COMPUTER AV



VIDEO



ACCESSORIES



# Canon

HFM52



## CANON VIXIA FLASH MEMORY CAMCORDERS

- Canon 10x HD video lens with SuperRange Optical Image Stabilization
- 1/3" 1920x1080 HD CMOS Pro
- Record to SDHC/SDXC cards or internal flash memory (M50 and M52 only) in AVCHD or MP4 formats
- Built-in Wi-Fi for wireless transfer of video to YouTube and Facebook
- Includes 3.0" touch LCD screen, USB, component and composite, HDMI, 3.5mm mic jack

H.264  
MPEG-4AVC

| ITEM        | DESCRIPTION                            | PRICE  |
|-------------|--|--------|
| HFM50       | HD camcorder with 8GB internal memory  | 599.99 |
| HFM52       | HD camcorder with 32GB internal memory | 699.99 |
| HFM500      | HD camcorder                           | 499.99 |
| KT-DW-491   | Kata Digital Waist Pack, camera case   | 38.21  |
| TS166SDHC10 | 16GB Transcend SDHC, Class 10          | 15.71  |
| TS326SDHC10 | 32GB Transcend SDHC, Class 10          | 31.73  |



AVCHD

## CANON VIXIA HD FLASH MEMORY CAMCORDERS

- Canon HD Video Lens with 53x advanced zoom & super-range optical image Stabilization
- Improved Canon 3.28 megapixel full HD CMOS image sensor and DIGIC DV 4 image processor captures videos at 1920x1080
- Record in AVCHD (highest quality) or MP4 format to the internal flash drive (R40 & R42 only) or to a removable SD/SDHC/SDXC memory card
- 3" flat touch panel LCD for fast, easy control
- Microphone terminal with manual audio level control and headphone terminal
- Built-in WiFi allows you to wirelessly share images and video through CANON iMAGE GATEWAY, on Facebook, Twitter and YouTube or send to a PC
- Connect directly to an external drive for easy and secure storage with a PC
- Kit contains battery pack, power adapter, USB & HDMI cables and bundled CD-ROMs

| ITEM        | DESCRIPTION                            | PRICE  |
|-------------|--|--------|
| HFR40       | HD camcorder with 8GB internal memory  | 399.99 |
| HFR42       | HD camcorder with 32GB internal memory | 499.99 |
| HFR400      | HD camcorder                           | 299.99 |
| WM-V1       | Wireless microphone                    | 222.96 |
| TS326SDHC10 | 32GB Transcend SDHC, Class 10          | 31.73  |
| TS646SDXC10 | 64GB Transcend SDXC, Class 10          | 66.28  |

**CANON VIXIA HF G10** The HF G10 records up to 12 hours of full HD 1920x1080 video to a 32GB internal flash drive or to (2) SDXC-compatible memory card slots. With Relay Recording, the camcorder automatically switches recording from the internal drive to SD memory cards when the memory is full. The camcorder also features a HD CMOS Pro Image Sensor, SuperRange Optical Image Stabilization, instant AF, and Canon Face Dection. Control and view video with the 3.5" Touch Panel LCD screen. The lens has 10x optical and 200x digital zoom. Records 2 or 5.1 channel audio (5.1 requires optional SM-V1 surround mic). Includes USB 2.0, HDMI out, stereo mini-jack mic input, and component & composite out. Includes lens hood, battery, power adapter, and cables.

| ITEM  | DESCRIPTION            | PRICE   |
|-------|------------------------|---------|
| HF610 | Flash memory camcorder | 1299.99 |
| SM-V1 | 5.1 surround mic       | 221.68  |



HDV



AVCHD

**CANON XA10 PROFESSIONAL CAMCORDER** This compact camcorder records Full HD 1080p via AVCHD, features a Canon 10x video lens, a 3.5" touch panel LCD screen, and a detachable handle with an external mic holder and XLR inputs. Additional features include a native 1920x1080 CMOS image sensor, Canon's DIGIC DV III image sensor, a 35mm equivalent zoom range (30.4-304mm), an 8-blade iris, manual control, frame modes, and infrared mode. Video can be recorded to a 64GB internal flash drive or to (2) SDXC cards. Includes HDMI, component, and composite outputs, (2) XLR audio ins, (1) 1/8" mic in, a 1/8" headphone jack, a LANC-compatible remote control terminal, and a USB 2.0 terminal. Comes with battery, power adapter, wireless controller, lens hood, stylus pen, and cables (USB, stereo video & component).

| ITEM | DESCRIPTION                                 | PRICE   |
|------|---|---------|
| XA10 | Compact HD camcorder with detachable handle | 1999.99 |

**CANON XF100 & XF105 PROFESSIONAL CAMCORDERS** Both cameras use an MPEG-2, 4:2:2 50Mbps XF codec and 1/3" CMOS sensor for capturing video onto dual compact flash cards (up to 64GB each). Uniting video, audio and metadata into a single file, they use an MXF (Material eXchange Format) File Wrapper. The 10x HD L-series lens features a SuperRange Optical Image Stabilizer (OIS) system and has a customizable control ring for focus, zoom or iris. The DIGIC DV III Image Processor ensures natural, lifelike colors and captures shadow detail with accuracy. Both have 3D assist features such as OIS Lens Shift, and a focal length guide. Each model features a 3.5", 920,000-pixel LCD monitor. Both feature a built-in stereo microphone, dual XLR inputs and 16-bit PCM audio at 48kHz. Both models have Mini-B USB 2.0, component & composite out, HDMI, remote control & 1/8" TRS headphone jack. The XF105 adds HD-SDI output, genlock, and SMPTE time code terminals for multi-camera or 3D productions. Each includes battery pack, power adapter, DC cable, wireless controller, component cable & XF utilities disc.

| ITEM       | DESCRIPTION  | PRICE   |
|------------|--|---------|
| XF100      | Professional camcorder, built-in stereo mic, XLR ins | 2999.99 |
| TS166CF600 | 16GB Transcend CompactFlash card, 600x               | 53.06   |



MPEG-2

XF105



MPEG-2

XF300

**CANON XF300 & XF305 PROFESSIONAL CAMCORDERS** Both use an MPEG-2, 4:2:2 50Mbps XF codec for capturing 1920x1080 (three 1/3" CMOS sensors) video onto dual UDMA CF cards. Uniting video, audio and metadata into a single file, they use an MXF (Material eXchange Format) File Wrapper. The 18x HD L-series lens features a SuperRange Optical Image Stabilizer (OIS) system and offers a 35mm-equivalent zoom range of 29.3-527.4mm. The DIGIC DV III Image Processor ensures natural, lifelike colors and captures shadow detail with accuracy. Each model features a 4" 1.23-megapixel LCD monitor. Both feature a built-in stereo microphone, dual XLR inputs and 16-bit PCM audio at 48kHz. The XF300 has Mini-B USB 2.0, component & composite out, HDMI, remote control & headphone input. The XF305 adds HD-SDI output, genlock, and SMPTE time code (in/out) terminals for multicamera or 3-D productions. Each includes battery pack, power adapter, DC cable, wireless controller, component cable & XF utilities disc.

| ITEM  | DESCRIPTION   | PRICE   |
|-------|---|---------|
| XF300 | HD 4:2:2 camcorder, built-in mic, XLR ins                                 | 4999.99 |
| XF305 | HD 4:2:2 camcorder, built-in mic, XLR ins, HD-SDI out, genlock, time code | 5999.99 |



Follow us!

We service many of the major brands that we carry.  
Call our Authorized Repair Department at 800-356-5844 x1303.

# TAKE CREATIVITY AND MOBILITY TO THE NEXT LEVEL.

The XA and XF Series of digital camcorders offer unprecedented mobility for your next creative project. Ranging from just 1.8 lbs to 6.5 lbs – including lens – they give you the shooting flexibility needed across a wide spectrum of HD production.

What's more, Canon's 1/3-inch optics, CMOS image sensors, and innovative digital processing means remarkable HD image quality. The XF series captures these images at 50 Mbps 4:2:2 MPEG-2 on dual Compact Flash cards, while the miniature XA10 offers a choice of recording options on dual SDXC cards.



XF305

XF105

XA10

## XA & XF Series

Cover the spectrum of production

**Canon**

**FULL COMPASS**

PRO AUDIO | VIDEO | AV | LIGHTING  
MUSICAL INSTRUMENTS

800-356-5844  
FULLCOMPASS.COM

© 2012 Canon U.S.A., Inc. All rights reserved. Canon is a registered trademark of Canon Inc. in the United States and may also be a registered trademark or trademark in other countries.



# JVC

## JVC GY-HM150U COMPACT HD 3-CCD CAMCORDER

- 3CCD system with 10x lens
- Full HD recording (1080 or 720)
- Records QuickTime (MOV), XDCAM EX (MP4), SD (AVI)
- Video data rates from 19Mbps to 35Mbps
- Records to dual SDHC and SDXC memory cards
- Records simultaneously to two cards, or uninterrupted in relay mode
- Back-up recording mode records continuously to one card as individual clips are created on the other card with the record trigger



| ITEM        | DESCRIPTION  | PRICE   |
|-------------|--|---------|
| GYHM150U    | .....1/4" 3-CCD SD/HD Solid State camcorder, with 10x Fujinon lens | 1995.00 |
| HZHM150VZR  | .....Remote control  | 295.00  |
| TS16GSDHC10 | .....16GB Transcend SDHC, Class 10                                 | 15.71   |
| TS32GSDHC10 | .....32GB Transcend SDHC, Class 10                                 | 31.73   |

## JVC GC-XA1 ADIXSION ACTION CAMERA

- 5M CMOS Sensor
- Full HD 1920x1080 30p Recording
- 5 Megapixel Stills
- Super Wide Lens with 5x Digital Zoom
- 1.5-inch LCD Monitor
- Time-Lapse REC
- SD/SDHC/SDXC Card Slot
- Quad-Proof Design: 5m Waterproof / 2m Shockproof / Dustproof / Freeze proof
- Built-in Wi-Fi (Smartphone linking, streaming and remote control functions)



| ITEM        | DESCRIPTION  | PRICE  |
|-------------|--|--------|
| GCXA1BUS    | .....ADIXSION Action Camera, AAC audio, built-in Wi-Fi, software | 299.95 |
| MTHB001US   | .....Handlebar mount for bikes and motorcycles                   | 14.95  |
| MTRB001US   | .....Rollbar mount for ATVs & UTVs                               | 14.95  |
| AVC17LUS    | .....AC charger  | 24.95  |
| TS32GSDHC10 | .....32GB Transcend SDHC, Class 10                               | 31.73  |
| TS64GSDXC10 | .....64GB Transcend SDXC, Class 10                               | 66.28  |



**JVC GY-HMQ10U 4K MEMORY CARD CAMCORDER** This handheld camcorder can capture and record real-time video at 4x the resolution of full HD—3840x2160 images at 24p, 50p and 60p using AVC/H.264. It uses a F2.8 10x zoom lens and a high-speed 1/2" class CMOS device for up to 60 frames per second. It records 4 quadrants to 4 separate SDHC cards simultaneously. Includes a file utility that combines the 4 separate streams into a single file and downconverted HD output. The camcorder has (4) HDMI outs and (2) balanced XLR connectors and can also function as an HD camcorder in AVCHD format. Includes integrated stereo mic, 3.5" touchscreen, wired remote control, focus assist and Rotary Optical Image Stabilizer.

| ITEM        | DESCRIPTION                        | PRICE   |
|-------------|------------------------------------|---------|
| GYHMQ10U    | .....4K memory card camcorder      | 4995.00 |
| SSL-JVC50   | .....Battery (by IDX)              | 160.00  |
| LC-2J       | .....Battery charger (by IDX)      | 160.00  |
| TS32GSDHC10 | .....32GB Transcend SDHC, Class 10 | 31.73   |
| TS64GSDXC10 | .....64GB Transcend SDXC, Class 10 | 66.28   |

**JVC GY-HM600 / GY-HM650 PRO CAMCORDERS** These lightweight camcorders for ENG, documentaries or reality TV feature a 23x wide-angle zoom lens, dual card recording on SDHC/SDXC cards, Pre Rec (retro) mode (20 sec.), time-lapse recording, built-in stereo microphone, 2-channel balanced audio inputs with phantom power and wired remote control connector. The GY-HM650 is an advanced mobile news camcorder that also offers dual codec recording, making it possible to record simultaneously full HD on one memory card and a smaller, web-friendly file on another card. Built-in FTP and Wi-Fi connectivity allows files to be transferred back to the station immediately.

| ITEM        | DESCRIPTION                              | PRICE   |
|-------------|--|---------|
| GYHM600U    | .....ProHD handheld camcorder, 23x lens  | 4495.00 |
| GYHM650U    | .....As above, with dual codec recording | CALL    |
| TS32GSDHC10 | .....32GB Transcend SDHC, Class 10       | 31.73   |
| TS64GSDXC10 | .....64GB Transcend SDXC, Class 10       | 66.28   |



**JVC GYHM750U COMPACT SHOULDER SOLID-STATE CAMCORDER** Designed for ENG/EFP applications, it has a 3rd-gen digital processing engine and records in HD or SD directly to SDHC media. Data rates up to 35Mbps allow 720x480i SD and full HD 1920x1080i 50/60 recording. Dual, hot-swappable recording on SDHC cards provides simultaneous recording for instant backup and sequential recording. A 20-second retro cache prevents "missed shots". Native recording files include Final Cut Pro-ready .MOV, Iso Base XDCAM EX .MP4 and AVI. Connect the optional KA-AS790 model to provide MPEG2 signal for microwave or long distance cable runs. Includes a HDSi output, downconverted SD (DV via IEEE-1394), and (2) XLR audio inputs. Includes a Canon 14:1 HD 4.4mm wide-angle lens, a 4.3" LCD monitor, and uncompressed LPCM 2-channel audio recording.

| ITEM        | DESCRIPTION   | PRICE   |
|-------------|---|---------|
| GYHM750U    | .....ProHD compact shoulder solid state camcorder with 14x Canon lens | CALL    |
| GYHM750CHU  | .....ProHD compact shoulder SDHC camcorder head, no lens              | CALL    |
| GYHM750L17  | .....ProHD compact shoulder SDHC camcorder with Fujinon 17x lens      | CALL    |
| KAMR100G    | .....SxS memory card recorder   | 901.10  |
| TS16GSDHC10 | .....16GB Transcend SDHC, Class 10                                    | 15.71   |
| XT20SX47BRM | .....Fujinon 20x 4.7mm HD lens  | CALL    |
| KAAS790G    | .....ASI module   | 3500.00 |
| E10S        | .....IDX Li-ion V-mount battery                                       | 328.00  |
| VFHP790G    | .....8.4" HD/SD studio viewfinder                                     | 3847.03 |



**JVC PROHD SOLID STATE MEDIA CAMCORDER** The GY-HM790 is a modular HD camera with solid state recording and studio functionality. It can be used for field production or as a studio camera. It features high-level HD picture in 1080i and 720p formats, 3-CCD optical system, 4:2:2 processing, built-in Genlock, focus assist function, and image customization modes. It records to dual hot-swappable SDHC memory cards and has selectable data rates up to 35Mbps. A retro cache up to 20 seconds prevents "missed shots". I/O includes composite out, component out, SDI out, HD-SDI out, analogue composite video input (BNC), XLR mic/line input, (2) RCA audio outs, (2) 3.5mm headphone jacks, IEEE1394 out and more.

| ITEM          | DESCRIPTION  | PRICE   |
|---------------|--|---------|
| GYHM790U      | .....ProHD solid state media camcorder with 14x Canon lens | CALL    |
| GYHM790CHU    | .....ProHD solid state media camcorder head, no lens       | CALL    |
| XT17SX45BRMK1 | .....Fujinon 17x HD quick zoom lens                        | 3900.00 |



Follow us!

**PRICES SUBJECT TO CHANGE WITHOUT NOTICE. Call today or visit us online!**